






110mm cutting width for optimum performance

Lock-off button



Tool-less blade change system

- Grass shear blade can be removed / installed without tool.
- Hedge trimmer blade can be removed / installed by using a coin to loosen / tighten two screws.

Powered by 18V slide Li-ion battery









Accessories

Cutting width of grass shear blade

 $110 \, \text{mm}$

Battery capacity

warning lamp

Hedge trimmer blade Part No. 191N24-2 200mm(7-7/8")







Grass receiver set


Part No. 191N25-0

Dual blade action

Blade cover set

Part No. 195274-7

Part No. 458342-0



Storage case Part No. 452198-3





Grass shear blade Part No. 191N23-4 110mm



Grass receiver 110 Part No. 454880-0



Storage case Part No. 452198-3



Blade cover 110 Part No. 413885-9

Long handle attachment with wheel

Enables to use the machine comfortably in a standing posture.

• 5 stage angle adjustment allows for grip height adjustment according to user's height.

· Lock-off button operable from both left and right side



5-step

Charging Time

18V	DC18RC	DC18SD
BL1815N 1.5Ah	15 _{min}	30 min
BL1820B 2.0Ah	24 _{min}	45 min
BL1830B 3.0Ah	22 min	60 min
BL1840B 4.0Ah	36 _{min}	90 min
BL1850B 5.0Ah	45 min	110 min
BL1860B 6.0Ah	55 min	130 min

Cordless Grass Shear DUM111 110 mm Grass Shear Blade: 110 mm (4-5/16") Hedge Trimmer Blade: 200 mm (7-7/8") 15, 20, 25 mm (9/16, 13/16, 1") **Cutting Width Depth Adjustment** Strokes Per Minute (SPM) 2,500 Continuous Use (min.) w/ BL w/ BL1850B / BL1815N: 220 / 67 70 dB(A) Sound Pressure Level **Vibration Level** 2.5 m/s² or less W/o Battery: 300 x 120 x 130 mm (11-3/4 x 4-3/4 x 5-1/8") W/ BL1815N / BL1820B: 330 x 120 x 130 mm (13 x 4-3/4 x 5-1/8") Dimensions (L x W x H) Net weight 1.4 - 1.8 kg (3.1 - 4.0 lbs.)

Standard Equipment :Blade Cover, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area

Makita Corporation