

**Makita**

Cordless Grass Trimmer  
DUR365U / DUR364L

Satisfy Professional's Needs

**LXT**  
LITHIUM-ION



**BL**  
MOTOR

**18V X2**  
36V

Photo : DUR365U

High power and more work thanks to New Brushless motor

**Low noise**

Sound power level  
**86dB(A) / 89dB(A)**  
DUR365U / DUR364L (nylon)

The best choices for use in Resorts, Public Places and Residential Areas.








# High work efficiency

achieved by direct drive system.



## Powered by two 18V Li-ion batteries in series

Two 18V Li-ion batteries can be directly installed on the machine to supply energy to the powerful 36V DC motor drive system.



**5.0Ahx2**

Low speed mode: 490min


DUR365U with metal blade (in no load)



Dual battery fuel gauge of 3 LEDs

### Constant speed control

- minimizes reduction in rotation speed under load, keeping operation efficiency.
- Lowers noise under no load.

Continuous use (min) (Two 18V Li-ion batteries)						
		BL1815N (1.5Ah)	BL1820 (2.0Ah)	BL1830 (3.0Ah)	BL1840 (4.0Ah)	BL1850 (5.0Ah)
DUR365U with Metal blade (in no load)	Low	155	210	300	390	490
	Middle	65	90	130	175	220
	High	40	55	80	115	145
DUR364L with Nylon cord (in no load)	Low	30	40	55	75	100
	High	15	20	28	35	45
Charging time DC18RD 		15	24	22	36	45



**XPT**  
EXTREME PROTECTION TECHNOLOGY

### Extreme Protection Technology

For use in outdoor applications or harsh environments, protection from dust and dripping water is enhanced.



**Speed indicator**

DUR365U : 3-speed  
DUR364L : 2-speed

**Power switch**

- On/Off control by pressing and holding down the button.
- Speed control by simply pushing the button.
- Automatic power off after 1 minute of no operation



**Reverse switch**

**Reverse switch for easy removal of clogging grass/weed clippings**

- Grass/weed clippings can be removed by slow reverse rotation by pressing Touch button switch and pulling Trigger switch.
- The motor automatically returns to forward rotation after 3-second reverse rotation for quick restart of operation.




# Cordless Grass Trimmer

## DUR365U

**Off-set bike handle**

- Ergonomic and adjustable for:
- Comfortable operation
  - Easy handling



**Aluminum motor housing**



**Counterclockwise rotation**

- Wide selection of blades:
- 230mm (9") 4-tooth blade
  - 230mm (9") TCT Saw blade
  - 350mm (13-3/4") Nylon cutting head
  - 255mm Plastic blade (Optional accessory)



**Electronic 3-Speed**

## DUR364L

**350mm nylon cutting head rotating clockwise**



Prevents grass or weed clippings from flying towards user's side.  
Also can be used as an edger

Compatible with nylon cutting head and plastic blade (Optional accessory)

**Soft grip**



**Aluminum motor housing**



**Compact protector**

Small enough to allow for a clear view of cutting, but large enough to prevent grass/weed clippings from flying around.



**Electronic 2-Speed**



## Accessories

### New nylon cord for better cutting performance

- New ingenious design:  
Spiral cord body with four-leaf clover-like cross section developed for better cutting performance
- High performance:  
More sharpness for 10% less noise and 15% less power consumption compared with conventional 2mm diameter cord with circular cross section

B&F Eco4

Part No. 197297-1 (M8x1.25 RH)  
197296-3 (M10x1.25 LH)



Four-leaf clover-like cross section (ø 2.0mm)



Size	Part No.
2.0mmx15m	197472-9
2.0mmx30m	197473-7
2.0mmx160m	197474-5
2.0mmx280m	197475-3



Spiral cord body

### 255mm Plastic blade (Optional accessory)

#### Better cutting efficiency

Cuts 20-30% larger area than conventional Nylon cord cutter.



Plastic blade Set


Part No. 197188-6

with nut

M8x1.25RH

M8x1.25 LH

M10x1.25 LH



Replacement plastic blade

12pcs. set

Part No. 197189-4



# 18V

Lithium-ion

**LXT**

Powered by two 18V Li-ion batteries in series

5.0Ah BL1850

4.0Ah BL1840

3.0Ah BL1830

2.0Ah BL1820

1.5Ah BL1810

# 140+

# TOOLS

Expand Your Lithium Line Up

Product availability and specifications may vary by country or area.

## Cordless Grass Trimmer

## DUR365U / DUR364L

- Brake
- Reversing
- Soft Start
- Electronic 2-Speed (DUR364L)
- Electronic 3-Speed (DUR365U)
- Constant Speed

#### Standard Equipment :

Fast charger, Battery cartridge, Blade (DUR365U), Nylon cutting head (DUR364L), Universal guard, Shoulder harness with double shoulder strap, Wrenches

	DUR365U	DUR364L
<b>No load speed (rpm)</b>	Low: 3,500 / Medium: 5,300 / High: 6,500	Low: 5,000 / High: 6,500
<b>Spindle size</b>	M10 x 1.25LH	M8 x 1.25RH
<b>Sound pressure level</b>	75dB(A)	81dB(A)
<b>Sound power level</b>	86dB(A)	89dB(A)(nylon)
<b>Vibration level Left handle</b>	1.1m/s <sup>2</sup>	1.7m/s <sup>2</sup>
<b>Vibration level Right handle</b>	0.9m/s <sup>2</sup>	1.2m/s <sup>2</sup>
<b>Dimensions (L x W x H)</b>	1,823x610x460mm (71-3/4"x24"x18-1/8")	1,797x310x229mm (70-3/4"x12-1/4"x9")
<b>Max. output</b>	550W	550W
<b>*Net weight</b>	5.2kg (11.6lbs) BL1815Nx2	4.5kg (9.9lbs) 4.0kg (8.8lbs)

\*Weight according to EPTA-Procedure 01/2003 Items of standard equipment and specifications may vary by country or area.



Outdoor Power Equipment  
Accessories

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN BF-AG