



Makita

RESORT SOLUTIONS



@makitalatinamerica



www.makitalatinamerica.com

SCAN ME



MAINTENANCE



LXT

**BL
MOTOR**

XPT
EXTENDED PROTECTION TECHNOLOGY



DHP484
18V 1/2" Hammer drill

- 530 in.lbs. Max Torque (60 N-m)
- 0-500 & 0-2,000 RPM
- 0-7,500 & 0-30,000 IPM

LXT

XPT
EXTENDED PROTECTION TECHNOLOGY



DHP458
18V 1/2" Hammer drill

- 750 in.lbs. Max Torque (84 N-m)
- 0-400 & 0-2,000 RPM
- 0 - 6,000 & 0 - 30,000 IPM

LXT

**BL
MOTOR**



DHR171
18V SDS-PLUS 11/16" Rotary hammer

- 1.2 Joules Impact energy
- 0 - 680 RPM
- 0 - 4,800 IPM
- 2 modes (Rotation only or rotation and hammering)

LXT **X2** 167 + 167-36V

**BL
MOTOR**

XPT
EXTENDED PROTECTION TECHNOLOGY

ADT



DHS780
18Vx2 7-1/4" Circular saw

- 6,000 RPM
- Max cutting capacity:
 - 90°: 66 mm (2-5/8")
 - 45°: 45.5 mm (1-13/16")
 - 56°: 34 mm (1-5/16")



LXT

**BL
MOTOR**

XPT
EXTENDED PROTECTION TECHNOLOGY



DTD157
18V 1/4" Impact driver

- 1,240 in.lbs. Max torque (140 N-m)
- 0-1,300 & 0-3,000 RPM
- 0 - 4,100 / 0 - 2,000 IPM

LANDSCAPING



LXT



DUR181
18V 260mm String trimmer

- 7,800 RPM
- Adjustable cutting head and height
- Continuous use with 5.0Ah battery: Up to 75 min

LXT

BL MOTOR

XPT

ADT

AFT



DUR190U / DUR190L
18V 300mm String trimmer

- 3,500 / 5,100 / 6,000 RPM
- Reverse button
- Continuous use with 5.0Ah battery: Up to 103 min (Low)
- Arbor Shaft: M10 x 1.25 LH

LXT

BL MOTOR

XPT



DUR192L
18V 300mm String trimmer

- 4,500 / 6,000 RPM
- Split shaft for convenient storage
- Continuous use with 5.0Ah battery: Up to 34 min (under load)
- Arbor Shaft: M10 x 1.25 LH

LXT **X2** 18V + 18V 36V

BL MOTOR

XPT

ADT

AFT



DUR368A / DUR368L
18Vx2 350 mm Brushcutter

- 3,500 / 5,300 / 6,500 RPM
- Similar to 20cc gas engine
- Continuous use with 2 x 5.0Ah batteries: Up to 104 min (Low)
- Arbor Shaft: M10 x 1.25 LH

LXT

(BRAKE)



DUR523
18V 20-1/2" Hedge trimmer

- 2,700 SPM
- Max cutting capacity: 15mm (9/16")
- Continuous use with 5.0Ah battery: Up to 110 min

LXT

BL MOTOR

XPT

(BRAKE)



DUR601
18V 23-5/8" Hedge trimmer

- 2,000 / 3,600 / 4,400 SPM
- Max cutting capacity: 23.5mm (15/16")
- 5-position rotating handle
- Continuous use with 5.0Ah battery: Up to 160 min (Low)

LXT

BL MOTOR

XPT

(BRAKE)



DUC254
18V 10" Chainsaw

- 0 – 4,720 RPM
- 570W / Similar to a 20cc gas engine
- Captive nut and lateral chain tensioning
- Ultra light and compact

LXT **X2** 18V + 18V 36V

BL MOTOR

XPT

(BRAKE)



DUC355
18Vx2 14" Chainsaw

- 0 – 3,940 RPM
- 1,100W / Similar to a 30cc gas engine
- Captive nut and lateral chain tensioning

LXT **X2** 18V + 18V 36V

BL MOTOR

XPT

(BRAKE)

AFT



DUA301
18Vx2 12" Pole saw

- Adjustable telescopic shaft from 9 ft. to 13 feet
- Similar to a 30cc gas engine
- Captive nut and lateral chain tensioning

LXT**DUB186**
18V Blower/Vacuum

- 125 MPH air velocity and 113 CFM air volume
- 3 speeds: (2 in 1 Blower - Vacuum Cleaner)
- Continuous use with 5.0Ah battery: Up to 120 min (Low)

LXT**BL MOTOR****XPT™****DUB184**
18V Blower

- 116 MPH air velocity and 459 CFM air volume
- Adjustable knob: (Variable speed)
- Continuous use with 5.0Ah battery: Up to 60 min (Low Mode)

LXT X2 18V + 18V 36V**BL MOTOR****XPT™****DUB363**
18Vx2 Blower/Vacuum

- 120 MPH air velocity and 473 CFM air volume
- - 2 in 1: Blower and vacuum / mulcher
- Continuous use with 2 x 5.0Ah batteries: Up to 62 min (Low Mode)

LXT X2 18V + 18V 36V**XPT™****DLM432**
18Vx2 17" Lawn mower

- 3,600 RPM
- 2 modes: mulching and bagging
- Continuous use with 2 x 5.0Ah batteries: Up to 30 min / Cutting area: 480m² (5,170 ft²)

LXT X2 18V + 18V 36V**BL MOTOR****DLM532**
18Vx2 21" Self-propelled Lawn mower


- 2,800 RPM
- 3 in 1: mulching, bagging or rear discharge
- Continuous use with 4 x 5.0Ah batteries: Up to 45 min/hr / Cutting area: 1,916m² (20,623 ft²)

CXT**XPT™****US053**
12V 5L Sprayer

- H-shaped nozzle selector
- 2 modes: mist or jet nozzle
- Continuous use with 12V 4.0Ah battery: 4 hrs (mist)
- Max pressure 43 PSI

LXT**XPT™****DUS054**
18V 5L Sprayer

- H-shaped nozzle selector
- 2 modes: mist or jet nozzle
- Continuous use with 18V de 5.0Ah: 6.5 hrs
- Max pressure 43 PSI

**LXT****BL MOTOR****XPT™****AFT****DUX18**
18V Couple Shaft Power Head

- 0 – 6,800 / 0 – 9,700 RPM
- Similar to a gas engine less than 20cc
- Continuous use with 5.0Ah battery: Up to 21 min (High speed with EM408MP)

**LXT X2 18V + 18V 36V****BL MOTOR****XPT™****AFT****DUX60**
18Vx2 Couple Shaft Power Head

- 5,700 / 8,200 / 9,700 RPM
- Similar to a gasoline engine 24cc gas engine
- Continuous use with 2 x 5.0Ah batteries: Up to 104 min (Low speed with EM404MP)

COMPATIBLE WITH A WIDE RANGE OF ATTACHMENTS

Brushcutter EM404MP (198768-1) EM408MP (191N31-5)	Rotary scissors EM407MP (191M56-3)	Edger EE400MP (196749-9)	Pole saw EY403MP (191T40-0): 12"	Straight Hedge trimmer EN410MP (197739-5) Angle Adjustment Hedge trimmer EN401MP (196301-3)	Ground Trimmer EN420MP (198059-0)
Cultivator KR400MP (195706-4)	Harvester EJ400MP (195720-0)	Power brush BR400MP (199318-5)	Paddle sweep SW400MP (199339-7)	Blower UB400MP (191F67-6) UB401MP (191P72-3)	1 mt Shaft extension LE400MP (191E23-0)

CLEANING



LXT



DCL180
18V Stick vacuum cleaner

- Max suction 49 CFM
- Capacity 650ml
- Water lift 16,8"

LXT

BL
MOTOR



DCL281
18V Stick vacuum cleaner

- Max suction 53 CFM
- Capacity 750ml
- Water lift 33"

LXT



DCL184
18V Vacuum cleaner

- Max suction 45 CFM
- Capacity 500ml
- Water lift 22"

LXT X2 18V + 18V 36V

BL
MOTOR

HEPA
filter



DVC560
18Vx2 Upright vacuum cleaner

- Max suction 67 CFM
- Capacity 5 L
- Water lift 48"

LXT X2 18V + 18V 36V

BL
MOTOR

HEPA
filter



DVC261
18Vx2 Backpack vacuum cleaner

- Max suction 70 CFM
- Capacity 2 L
- Water lift 44"

LXT X2 18V + 18V 36V

BL
MOTOR

HEPA
filter



DVC660
18Vx2 Backpack vacuum cleaner

- Max suction 70 CFM
- Capacity 6 L
- Water lift 44"

LXT X2 18V + 18V 36V

BL
MOTOR



DRC200
18Vx2 Robotic vacuum cleaner

- Up to 200 min of continuous use with 2x 18V 5.0Ah batteries
- Cleans up to 5,380 square feet on hard surface on a single charge
- Capacity 2,5 L



VC2000L
Corded vacuum cleaner

- Max suction 123 CFM
- Capacity 20 L
- Max output 1,000 W
- Water lift 88"



HW101
Corded pressure washer

- Max output 1,300 W
- Max pressure 1,450 PSI
- 3 mts hose

LIGHTING



LXT
XPT



DML814
18V Work/Multi-Directional Light

- 3,000 / 1,700 / 900 lm
- Lux: 50 lx/30 lx /15 lx
- Rotating head
- Adjustable height 1250mm - 2240mm (49" – 88")

LXT
XPT



DML812
18V Flashlight/Spotlight

- 1,250 / 1,000 / 600 lm
- 4 modes: Spotlight (71,000 lx), Floodlight (520 lx), Spot/Flood (51,000 lx) and Strobe.
- Pivoting head

LXT **X2** 18V + 18V 36V



DML810
18V Work Light

- 5,500 / 3,000 / 1,500 lm
- Lux: 150 lx, 300 lx, 550 lx
- 3 lighting modes: 360°, 180° left, 180° right,

LXT



DML806
18V Lantern/Flashlight

- 620 / 310 / 90 lm
- Lux: 2,100 lx, 280 lx, 310 lx
- 3 modes: 360° lantern, 180° lantern or as a flashlight
- Compact design

WHEELBARROW



LXT **X2** 18V + 18V 36V

BL
MOTOR

XPT

DCU180
18Vx2 Power-Assisted wheelbarrow

- Ideal for transporting construction materials and cleaning supplies.
- 12 degrees of tilt with maximum capacity
- 2 speeds (High / Low): 2 / 1 MPH
- Maximum load 290 lbs.
- Steel container or flat bed (Optional use)