



Corded and Cordless Vacuum Cleaner

DVC860L (Wet & Dry / Cloth filter type)
DVC861L (Only Dry / HEPA filter)



High Maneuverability

DC



Powered by two 18V Li-ion batteries in series and AC

Tank capacity: 8L

Continuous run time 30-65min.
with two batteries BL1850B

HYBRID

High Power (Suction power: 320W)

AC



Versatile use thanks to 2 different power provides easy maneuverability anywhere you need cleaning.

On DC power



Suction power
70W

Max air flow
2.1 m²/min

Max sealed suction
9.0 kPa



Continuous run time

On a single full battery charge: minute

Battery	BL1850B [5.0Ah]	BL1840B [4.0Ah]	BL1830B [3.0Ah]
Run time			
High	30min.	25min.	20min.
Low	65min.	50min.	40min.
Charging time			
DC18RD	45min.	36min.	22min.
DC18RC	45min. × 2	36min. × 2	22min. × 2
DC18SD	110min. × 2	90min. × 2	60min. × 2



r sources



+ On AC power



Suction power
320 W

Max air flow
3.6 m²/min

Max sealed suction
24.0 kPa



Convenient cord wrap




Removable power supply cord



Large on-off switch

- allows for easy on/off switching.
- functions only when Main power switch is on to prevent accidental switch-on during transportation, etc.



Dual battery fuel gauge



Variable suction power control by dial



Caster stopper



Removable storage box



On-tool pipe storage

XPT
EXTREME PROTECTION TECHNOLOGY

Accessories

Hose

Note: Although type B hose can be connected with power tools, Front cuffs and Joint are required for some power tools.



A: for power tools

B: for cleaning

Size	Length (m)	Type	with Front cuffs	Part No.
28mm	1.5	A	22, 38	A-34235
28mm	2.5	A	22, 24, 38	195437-5
28mm	3.5	A	22, 24, 38	195433-3
28mm	5	A	22, 24, 38	195436-7
38mm	2.5	B	38	195434-1
38mm	5	B	38	195435-9

Straight pipe, Bending pipe, Anchor nozzle set and

Corner nozzle



Straight pipe	Bending pipe	Anchor nozzle set	Corner nozzle
Part No.	Part No.	Part No.	Part No.
192563-1	192562-3	192563-1	410306-2

Nozzle assembly



Universal Type

Type	Dry/ Wet	Part No.
Universal Type	Dry/ Wet	195551-7
Compact Type A	Dry	195549-4
Compact Type B	Wet	195550-9
Wide Type	-	A-47846

Holder set 10-33



Part No.
195544-4

Cleaning set

Includes one each of:

-Hose complete 38-2.5

-Straight pipe

-Bending pipe

-Nozzle assembly

-Corner nozzle



Part No.
195439-1

Round brush



Part No.
191657-9

Front cuffs & Joint



Type	Part No.
Front cuffs 22	195547-8
Front cuffs 24	195546-0
Front cuffs 38	195545-2
Joint 22-38	195548-6

Filter set

* HEPA filter



Powder filter set	Prefilter set	Cloth filter	Filter set (for water)
Part No.	Part No.	Part No.	Part No.
*197166-6	195553-3	140248-3	195555-9

Damper set



Part No.
195552-5

Poly bag set



Per pkg.	Part No.
10	195432-5

Filter bag set

(5pcs/set)



Part No.
195557-5

Corded and Cordless Vacuum Cleaner

DVC860L (Wet & Dry / Cloth filter type)

DVC861L (Only Dry / HEPA filter)

Double Insulation

Variable Speed



Suction power	AC : 320W DC : 25-70W
Max peak air flow	AC : 3.6m ³ /min DC : 2.1m ³ /min
Max sealed suction	AC : 24kPa DC : 9kPa
Tank capacity	Dust : 8L Water : 6L (DVC860L only)
Continuous use (minutes)	30-65
Dimensions (L x W x H)	366x334x368mm (14-3/8"x13-1/8"x14-1/2")
Net weight*	DVC860L (BL1820x2): 8.6kg (19.0lbs) DVC860L (BL1850Bx2): 9.2kg (20.3lbs) DVC861L (BL1820x2): 9.3kg (20.5lbs) DVC861L (BL1850Bx2): 9.9kg (21.8lbs)
Power supply cord	5.0m (16.4ft)

Standard Equipment

Fast charger, Battery cartridge, Connection cord, Tool box, Hose complete, Poly bag set, Straight pipe, Bending pipe, Corner nozzle, Nozzle assembly, Front cuffs (DVC861L only)

*weight according to EPTA-Procedure 01/2003

Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201510