



### CORDLESS

PORTABLE POWER SUPPLY STRING TRIMMERS COUPLE Shaft HEDGE TRIMMERS LAWN MOWERS CHAIN SAWS HIGH PRESSURE WASHER POWER ASSISTED WHEELBARROW **BLOWERS SPRAYERS** Pgs. 8 -9 Pgs. 10 - 11 Pgs. 14 - 14 Pgs. 16 -17 Pg. 22 Pgs. 12 - 13 Pgs. 18 - 19 Pgs. 20 - 21 Pg. 23 Pg. 24

# Trakita RULE THE OUTDOORS

Be a part of something bigger with Makita® Outdoor Power Equipment. Makita offers a complete system of outdoor power equipment with more solutions for trimming, cutting and clean-ups to revolutionize the way you work. With a focus on new technology and innovative engineering, Makita meets the demands of today and tomorrow. How will you *RULE THE OUTDOORS?* 



### **ACCESSORIES**

TRIMMERS
BRUSH CUTTERS
CHAIN SAWS

HEDGE TRIMMER BLOWERS LAWN MOWERS WHEELBARROW AUGER BATTERIES & CHARGERS



INNOVATION FOR OVER 100 YEARS

Makita has been driven by engineering, innovation, and technology to provide products of unmatched quality and durability. Makita pioneered the first brushless motor tools for contractors, the world's first 4-stroke engine power cutter, and more. Makita utilizes research and ingenuity to manufacture best-in-class products. Makita is a worldwide leader in the industry, offering products in over 40 countries. On job sites around the world, Makita delivers the power, performance, and durability needed to get the job done.

makita



model. It reduces maintenance, provides longer run time and faster charging.



### **EXTREME PROTECTION TECHNOLOGY**

 $Makita^{\circledast} \ Extreme \ Protection \ Technology \ (XPT^{\texttt{\tiny{TM}}}) \ is \ a \ series \ of \ protective \ seals \ inside$ the tool engineered to channel water, dust, and debris away from the tool's key internal components, providing durability and longer tool life.

even in the most demanding applications.



### **ACTIVE FEEDBACK SENSING TECHNOLOGY**

Smart function to minimise the effect of kick-back. Active Feedback sensing Technology® uses an on-board accelerometer to measure rotation and electronically turns off the motor if rotation is suddenly forced to stop.











### **PURE COPPER WIRE**

Makita® XGT® features purpose-built brushless motors with more copper windings for increased power output.

### RARE EARTH MAGNETS

Of the highest quality are engineered within XGT® brushless motors to maximize power and performance.



### **BUILT-IN MICROCHIPS**

Real time digital communication, actively monitoring heat, overload, and over discharge.

### DIGITAL COMMUNICATION

Optimize performance to deliver up to 2X longer sustained power during demanding applications.



### IMPACT ABSORBENT STRUCTURE

Durable outer casing and cell holder create space within the battery to absorb impact.

### WATER AND DUST RESISTANCE

Triple layer and enhanced terminal structure are engineered to protect against water and dust.



### MULTI-LAYER SURFACE CONTACTS

Within tool and battery are designed to take on high current demands.

### RAPID OPTIMUM CHARGING SYSTEM

XGT® Charger with Dual Cooling Fans digitally communicates before and during the charging process, evaluating battery condition for faster charge.





LXT® BATTERY

# 50% MORE RUN TIME

Battery delivers constant power and run time in extreme temperatures, even in winter (-4°F/ -20°C). Equipped with Star Protection Computer Controls™ to protect against overload, over-discharge, and overheating.



RAPID OPTIMUM CHARGER

### \*\* **3X** FASTER CHARGING\*

The Makita® Rapid Optimum Charger communicates with the battery's built-in chip throughout the charging process to optimize battery life by actively controlling current, voltage and temperature.



PURPOSE-BUILT BRUSHLESS MOTOR

# 50% LONGER MOTOR LIFE

Makita-built Brushless Motor eliminates carbon brushes, enabling the motor to run cooler and more efficiently for longer life.



STAR PROTECTION COMPUTER CONTROLS™

### EFFICIENT POWER MANAGEMENT

The demanding applications you take on every day are also demanding on your cordless tools and batteries. You rely on your tools, so Makita created Star Protection Computer Controls™.

1 Vs. Makita® 18v Ni-Cd Battery. 2 Vs. Makita® 18v Ni-Cd Charger. 3 Vs. Makita® Cordless Motors with Brushes. 4 Protection against Overloading, Over-Discharging & Overheating.







### **LXT**. DUR181

#### **18V String Trimmer**

- For home use
- · Delivers 7,800 RPM for faster cutting
- Telescoping shaft (48-1/2" to 56-1/2")
- · Adjustable 5-position pivoting head
- 180° rotating head allows the trimmer to convert to edger
- Cutting capacity 260mm (10-1/4")

Runtime w/ 18V LXT® 5.0Ah battery:



BL XPT

### <u>LXT.</u> DUR192L

### **18V Brushless String Trimmer**

- · For home use
- 2 speed options (4,500 / 6,000 RPM)
- Variable speed trigger
- Split shaft for convenient storage and transportation
- · Rapid load bump & feed trimmer head
- Cutting capacity 300mm (11-3/4")

Runtime w/ 18V LXT® 5.0Ah battery: Up to 23 min (Low)



### <u>LXT</u> <u>SE XPT</u> ADT AFT DUR190L

### **18V Brushless String Trimmer**

- · For home/semi-professional use
- 3 speed options (3,500 / 5,100 / 6,000 RPM)
- Reverse button for grass clipping removal
- Tool-less cutting attachment change
- Cutting capacity 300mm (11-3/4")

Runtime w/ 18V LXT® 5.0Ah battery: Up to 103 min (Low)



# LXT P BL XFT ADT AFT DUR368A / DUR368L

### **18V X2 Brushless String Trimmer**

- · For semi-professional use
- Makita-built Outer Rotor BL<sup>™</sup> Brushless Motor direct-drive system provides high power and increased torque
- · Similar to a 20cc Gas engine
- 3 speed options (3,500 / 5,300 / 6,500 RPM)
- Cutting capacity 350 mm (13-3/4")

Runtime w/ 2x 18V LXT® 5.0Ah batteries: Up to 104 min (Low)



### DUR369

### **18V X2 Brushless String Trimmer**

- For professional use
- Makita-built BL™ Brushless Motor delivers 1,000W maximum output
- Similar to a 30cc Gas engine
- 3 speed options (4,600 / 5,700 / 7,000 RPM)
- Cutting capacity: 430mm (17") with nylon cutting head and 255mm (10") with steel hlade

Runtime w/ 2x 18V LXT® 5.0Ah batteries: Up to 31 min (Low)



BL XPT ADT AFT



### **40V Brushless String Trimmer**

- For semi-professional use
- Makita-built Outer Rotor BL™ Brushless Motor delivers 550W maximum output
- Similar to a 20cc Gas engine
- 3 speed options (3.500 / 5.300 / 6.500 RPM)
- Cutting capacity 350 mm (13-3/4")

Runtime w/ 40V XGT® 5.0Ah battery: Up to 92 min (Low)





### **40V Brushless String Trimmer**

- For semi-professional use
- Makita-built Outer Rotor BL™ Brushless Motor delivers 550W maximum output

BL XPT ADT AFT

- Similar to a 20cc Gas engine
- 3 speed options (3,500 / 5,300 / 6,500 RPM)
- Cutting capacity 350 mm (13-3/4")

Runtime w/ 40V XGT® 5.0Ah battery: Up to 92 min (Low)





### **40V Brushless String Trimmer**

- For professional use
- Makita-built BL™ Brushless Motor delivers 1,000W maximum output
- Similar to a 30cc Gas engine
- 3 speed options (4,600 / 5,000 / 5,500 RPM)

9

Cutting capacity 430 mm (17")

Runtime w/ 40V XGT® 5.0Ah battery: Up to 30 min (Low)



BL XPT ADT AFT



### UR008G 40V Brushless String Trimmer

- For professional use
- Makita-built BL<sup>™</sup> Brushless Motor delivers 1,000W maximum output
- · Similar to a 30cc Gas engine
- 3 speed options (4,000 / 4,600 / 5,000 RPM)
- Cutting capacity 430 mm (17")

Runtime w/ 40V XGT® 5.0Ah battery: Up to 30 min (Low)



XOT X2 BL XPT ADT AFT

### **UR012G** 80V Brushless String Trimmer

- For commercial use
- Makita-built BL<sup>™</sup> Brushless Motor delivers 2,000W maximum output
- Similar to a 43cc Gas engine
- 3 speed options (3,500 / 5,000 / 6,800 RPM)
- Cutting capacity 480 mm (18-7/8")

Runtime w/ 2x 40V XGT® 5.0Ah batteries: Up to 57 min (Low)

Tool only, battery & charger not included makitalatinamerica.com



## **ULTIMATE VERSATILITY**

COUPLE SHAFT POWER HEADS & ATTACHMENTS

### **COUPLE SHAFT SYSTEM**

The Makita® Couple Shaft Series has multiple attachments that are fully compatible with the gas engine or cordless powerhead. Users benefit with the increased efficiency and reduced tool costs of running one powerhead system for multiple applications.











### DUX18

18V LXT® Brushless Couple Shaft **Power Head Kit with Brushcutter Attachment** 

- For home/semi-professional use
- 2-speed options and variable speed trigger: 0 6,800 / 0 9,700 RPM
- Similar to a Gas engine under 20cc
- Max output 470W
- Includes Brushcutter attachment EM408MP

Runtime w/ 18V LXT® 5.0Ah battery: Up to 21 min (Low) with EM408MP





### DUX60

18V X2 LXT® Brushless Couple Shaft **Power Head** 

- For Semi-professional use
- 3-speed options and variable speed trigger  $(5,\!700\,/\,8,\!200\,/\,9,\!700$  RPM)
- Reverse button
- · Similar to a 24cc Gas engine
- Max output 600W

Runtime w/ 2x 18V LXT® 5.0Ah batteries: Up to 104 min (Low) with EM404MP









### UX01G

**40V XGT® Brushless Couple Shaft Power Head Kit with Brushcutter Attachment** 

- For Semi-professional use
- 3-speed options and variable speed trigger: 0 5,700 / 0 8,200 / 0 9,700 RPM
- Reverse button
- Similar to a 33cc Gas engine
- Max output 1,000W
- Includes Brushcutter attachment EM404MP

DIOK	VOUD ATT	F	ITS MODEL	.s	
PICK	YUUK AII.	ACHMENT	DUX18	DUX60	UX01G
	Brushcutter	EM404MP (198768-1)	-	•	•
	4	EM408MP (191N31-5)	•	•	•
	Rotary Scissors	EM407MP (191M56-3)	•	•	•
C. C.	Edger	EE400MP (196749-9)	•	•	•
	Pole Saw	EY403MP (191T40-0): 12"	•	•	•
7-1-1-1	Hedge trimmer	Straight EN410MP (197739-5)	•	•	•
1 4 1 5		Angle Adjustment EN401MP (196301-3)	•	•	•
	Ground trimmer	EN420MP (198059-0)	•	•	•
	Cultivator	KR400MP (195706-4)	•	•	•
***	Harvester	EJ400MP (195720-0)	•	•	•
	Power brush	BR400MP (199318-5)	•	•	•
	Power sweep	SW400MP (199339-7)	•	•	•
	Blower	UB400MP (191F67-6)	•	•	•
		UB401MP (191P72-3)	•	•	•
	1 mt Shaft extension attachment	LE400MP (191E23-0)	•	•	•

11

Tool only, battery & charger not included makitalatinamerica.com





BL XPT BRAKE

18V 19-3/4" Brushless Pole Hedge

6 angle settings hedge trimmer head

Ergonomic two-handed grip

Max branch diameter 15/16"

3-speed options: 2,000 / 3,600 / 4,400 SPM













### **DUN461W** 18V 18" Pole Hedge Trimmer

- For home use
- 10 angle settings hedge trimmer head
- Telescoping shaft easily adjusts length from 2.511 mm to 1.889 mm
- 1 speed: 3,600 SPM
- Max branch diameter 11/16"
- Max output 250W

Runtime w/ 18V LXT® 5.0Ah battery: Runtime w/ 18V LXT® 5.0Ah battery: Up to 120 min Up to 45 min (Low)

XPT"

<u>LXT</u>

Trimmer

**DUN500W** 

For commercial use

Max output 520W

### **DUH523**

### 18V 20-1/2" Hedge Trimmer

- Anti-vibration design (five cushions within the housing) for operator comfort
- · Weighs only 7.4 lbs
- 1 speed: 2,700 SPM
- Max branch diameter 9/16"
- Max output 210W

Runtime w/ 18V LXT® 5.0Ah battery: Up to 110 min

### **DUH601**

### 18V 23-5/8" Brushless Hedge Trimmer

- For professional use
- 5-position rotating rear handle
- Anti-vibration design for operator comfort
- Reverse function for clearing jams
- 3-speed options: 2,000 / 3,600 / 4,400 SPM
- Max branch diameter 15/16"
- Max output 520W

Runtime w/ 18V LXT® 5.0Ah battery: Up to 160 min (Low)







**SPECIAL ORDER** 





#### UHOO4G

### 40V XGT® 23-5/8" Brushless Hedge Trimmer

- · For professional use
- Sharp edge curve blade provides optimal trimming for thin branches
- · 5-position rotating rear handle
- · Anti-vibration design for operator comfort
- 3-speed options: 2,000 / 3,600 / 5,000 SPM
- Max branch diameter 15/16"
- Max output 720W

Runtime w/ 40V XGT® 4.0Ah battery: 370 min (Low) / 85 min (High)





### UH006G

### 40V XGT® 23-5/8" Brushless Hedge Trimmer

BL XPT (BRAKE)

- · For commercial use
- Sharp edge blade provides optimal trimming for thick
- · 5-position rotating rear handle
- Anti-vibration design for operator comfort
- 3-speed options: 2,000 / 3,000 / 4,000 SPM
- Max branch diameter 1"
- Max output 720W

Runtime w/ 40V XGT® 4.0Ah battery: 360 min (Low) / 80 min (High)







### 40V XGT® 23-5/8" Brushless Hedge Trimmer

- · For professional use
- Standard blade
- · 5-position rotating rear handle
- Anti-vibration design for operator comfort
- 3-speed options: 2,000 / 3,600 / 5,000 SPM
- Max branch diameter 7/8"
- Max output 720W

Runtime w/ 40V XGT® 4.0Ah battery: 360 min (Low) / 80 min (High)

makitalatinamerica.com Tool only, battery & charger not included

13



**UB001G** 40V max XGT® Brushless Cordless Blower Makita-built Brushless Motor delivers up to 565 CFM and 143 MPH













#### 18V LXT® Vacuum/Blower

- For home use and workshops
- Delivers up to 125 MPH air velocity and 113 CFM of air
- Blowing Force 2.5 N
- Long nozzle with wide end for sweeping large floor areas
- Variable 3-speed + vacuum mode
- Weighs only 4.6 lbs. with battery

Runtime w/ 18V LXT® 5.0Ah battery: 120 min (Low) / 23 min (High)







### **DUB184**

#### 18V LXT® Brushless Blower

- For home use Subcontractor and landscapers
- Blowing Force 10.9 N
- Low noise: 60 dB(A)
- Cruise control lever with variable speed trigger for power and run time management
- · Weighs only 6.5 lbs with battery

Runtime w/ 18V LXT® 5.0Ah battery: Up to 60 min (Low) / 10 (High)









### **DUB363**

### 18V X2 LXT® Brushless Vacuum/Blower

- 3-tools-in-1: vacuum, mulcher and blower
- BL™ Brushless motor delivers up to 120 MPH air velocity and 473 CFM of air volume
- Vacuum mode delivers 13.2" Waterlift and 441 CFM of air
- Low noise: 61 dB(A)
- · Cruise control lever with variable speed trigger
- 3-stage telescoping blower nozzle
- · Weighs only 11.2 lbs. with batteries

Runtime w/ 2x 18V LXT® 5.0Ah batteries: 64 min (Low) / 8 min (High)







### **UB001G**

### **40V XGT® Brushless Blower**

- · Ideal for subcontractors and landscapers
- Up to 55% more blowing force than Gas Blower
- BL™ Brushless motor delivers up to 143 MPH air velocity and 565 CFM of air volume
- Low noise: 61 dB(A)
- Cruise control lever with variable speed trigger
- 3-stage telescoping long nozzle for user convenience
- Weighs only 7.7 lbs. with batteries

Runtime w/ 40V XGT® 5.0Ah battery: 15 min (High)



**DLM533** 

18V X2 (36V) LXT® Brushless 21" Self-Propelled Lawn Mower Commercial Grade Aluminum Deck Design









### 18V X2 (36V) LXT® 17" Lawn Mower

- · Powerful motor delivers 3,600 RPM
- 2-mode design: mulching and bagging
- · Lightweight plastic deck for easy transportation
- 17" cutting width for optimum performance
- Single lever quickly adjust cutting height (13/16" 2-15/16")
- · Grass catcher bag holds up to 50L (13Gal)

#### Runtime w/ 2x 18V LXT® 5.0Ah batteries: Up to 70 min



### **DLM532**

### 18V X2 (36V) LXT® Brushless 21" Self-Propelled Lawn Mower

- BL™ Brushless motor delivers up to 2,800 RPM
- Self-propelled with variable speed (1.5 MPH 3 MPH)
- · Commercial-grade steel deck
- 3-in-1 design allows for mulching, bagging or side discharge
- Single lever quickly adjusts cutting height (25/32" 3-15/16")
- Low noise mode
- · Grass catcher bag holds up to 70L (18Gal)

Runtime w/ 2x 18V LXT® 5.0Ah batteries: 35 min (Regular) / 27 min (Self-propelled)



### **DLM530**

XPT BRAKE

LXT SP

### 18V X2 (36V) LXT® Brushless 21" Lawn Mower

- BL™ Brushless motor delivers up to 2,800 RPM
- Commercial-grade steel deck
- 3-in-1 design allows for mulching, bagging or side discharge
- Single lever quickly adjusts cutting height (25/32" 3-15/16")
- Low noise mode
- Grass catcher bag holds up to 70L (18Gal)

#### Runtime w/ 2x 18V LXT® 5.0Ah batteries: 35 min



#### **DLM533**

LXT (2)

### 18V X2 (36V) LXT® Brushless 21" Self-Propelled Lawn Mower

- BL™ Brushless motor delivers up to 2,800 RPM
- Self-propelled with variable speed (1.5 MPH 3 MPH)
- Commercial-grade aluminum deck
- 3-in-1 design allows for mulching, bagging or side discharge
- Single lever quickly adjusts cutting height (25/32" 3-15/16")
- Low noise mode
- Grass catcher bag holds up to 70L (18Gal)

Runtime w/ 2x 18V LXT® 5.0Ah batteries: 35 min (Regular) / 27 min (Self-propelled)


## **MOWING AREA**

### **DLM432**



WITH 2X 18V LXT 5.0 AH BATTERIES

### **DLM530**



### DLM532 / DLM533



WITH 2X 18V LXT 5.0 AH BATTERIES

### **4 BAY BATTERY SYSTEM FOR** 2 TIMES MORE RUN TIME AND **MOWING AREA** DLM530, DLM532 AND DLM533 ONLY



17















### **DUC254**

### 18V LXT® Brushless 10" Top Handle Chain Saw

- Compact top handle design built for the professional tree care industry
- Variable speed trigger: 0-4,720 RPM
- Makita-built Outer Rotor BL™ Brushless Motor direct-drive system provides high power efficiency
- Torque boost mode for cutting dense material
- Captured bar nut and lateral chain tensioning for convenient operation and maintenance

Max output: 570 W / Similar to a 20cc gas engine





**DUC356** (14")













- Compact top handle design built for the professional tree care industry
- Variable speed trigger: 0-3,940 RPM
- $\textbf{Makita-built Outer Rotor BL}^{^{\text{\tiny{TM}}}} \textbf{ Brushless Motor direct-drive}$ system provides high power efficiency
- Torque boost mode for cutting dense material
- Captured bar nut and lateral chain tensioning for convenient operation and maintenance

Max output: 1,200 W / Similar to a 30cc gas engine













19

### **DUC355**

### 18V X2 LXT® Brushless 14" Chain Saw

- Large oil filling port with view window allows operator to easily add and check bar oil level
- Variable speed trigger: 0-3,940 RPM
- Makita-built Outer Rotor BL™ Brushless Motor direct-drive system provides high power efficiency
- Adjustable automatic chain lubrication
- Captured bar nut and lateral chain tensioning for convenient operation and maintenance

Max output: 1,100 W / Similar to a 30cc gas engine



### **DUA301**

LXT Z

#### 18V X2 LXT® Brushless 12" Telescoping Pole Saw

- . Telescoping shaft easily adjusts length from 9 ft. to 13 ft. allowing access to hard-to-reach branches
- Makita-built BL™ Brushless Motor delivers power of a 30cc gas pole saw
- Up to 140 cuts in 4x4 cedar with two 18V LXT® 5.0Ah batteries
- Torque boost mode powers through thick or hard branches
- Captured bar nut and lateral chain tensioning for convenient operation and maintenance
- · Branch hook for pulling trimmed branches from trees



### **COMING SOON**



### **UC004G**

40V XGT® Brushless 14" Chain Saw

### **UA004G**

40V XGT® Brushless 12" Pole Saw

Tool only, battery & charger not included makitalatinamerica.com

BL XPT BRAKE



### **PRODUCT FEATURES**





**DESIGN** L.E.D. battery charge indicator



COMFORT Wide padded adjustable straps and hip belt



COMPATIBILITY Connector cord compatible with 18V, 18V X2 (36V) and 40V adapter

















### PDC01 (#191A59-5)

### LXT®, LXT® X2 and XGT® Portable Backpack Power Supply

- Holds up four LXT® Lithium-Ion batteries
- Provides up to 4X the run time when used with Makita LXT® 18V products
- Provides up to 2X the run time when used with Makita LXT® 18V X2 (36V) products
- · Adjustable ergonomic harness for operator comfort

Maximum energy output: 432Wh

### PDC1200A02

### LXT® X2 and XGT® Portable Backpack Power Supply

- Ideal for heavy duty applications
- Equivalent to having almost 14 x LXT® 18V batteries running at the same time
- Adjustable ergonomic harness for operator comfort
- · Lightweight design at only 8.8kg

Maximum energy output: 1,200Wh





### BL XPT SOFT

#### **Battery Powered Brushless 21" Self-propelled** Lawn Mower

- Powered by the PDC01 and PDC1200 battery backpacks
- Mows up to 6,900 m<sup>2</sup> with PDC1200; 2,300 m<sup>2</sup> with PDC01
- · 3 types of mowing: collecting, mulching, side discharge.
- · Self-propelled mode with speeds from 1.5 mph 3 mph
- Steel base with 18.5 Gallon collection bag

#### Runtime:

w/PDC01 (4x BL1860B):

Self-propelled 40 min / Manual 50 min w/PDC1200

Self-propelled 120 min / Manual 150 min







### **UB001C**

### **Battery Powered Brushless Blower**

- For subcontractors and landscapers
- BL™ Brushless motor delivers up to 157 MPH air velocity and 422 CFM of air volume
- Low noise: 59 dB(A)
- Turbo boost mode
- Cruise control lever with variable speed trigger
- In-line fan design provides better tool balance and improved ergonomics

#### Runtime:

w/PDC1200: Up to 90 min





### **Battery Powered Brushless String Trimmer**

BL XPT ADT AFT

21

- Makita-built BL™ Brushless Motor delivers power equivalent to a 30cc gas string trimmer
- Max output 1,000 W
- Variable speed trigger: 4,000 / 4,600 / 6,000 RPM
- Steel drive shaft reduces vibration
- Cutting capacity: 430 mm (17")
- Reverse rotation function allows operator to quickly clear trimmer head of entangled grass and weeds

#### Runtime:

w/PDC01 (4x BL1850B): 28 min w/PDC1200: 60 min









### 18V X2 LXT® Brushless High Pressure Washer

- Powerful BL<sup>™</sup> Brushless Motor delivers up to 800 W (.80kW)
- Maximum pressure allowed: 8 MPa (1,160.3 PSI)
- 2-pressure selection: High: 5.5 MPa (798 PSI) / Low: 3.0 MPa (435 PSI).
- Water flow: Low: 240 L/H / High: 330 L/H.
- Tank capacity of approx. 50 L
- Self-priming function (with a max suction height of 1 m)
- Water can also be supplied from a tap

Runtime w/ 2x 18V LXT® 5.0Ah batteries: 12 min (High) / 28 min (Low)

### **ACCESSORIES**



Variospray lance

197859-5 Under body spray lance



Cyclone jet nozzle



197831-7 Rotating brush





197842-2 Trigger gun



197886-2 Foam nozzle



8m High pressure extension hose



197822-8 Variable nozzle



One touch joint



197873-1 Self-suction hose



197879-9 Cleaner Pin





Powered by 2x LXT® 18V **Batteries** 



**Multi function** storage case Suction tank function + storability



**Easy to transport** Transportable with the machine body stored in the tank.













### 18V X2 LXT® Brushless Power-Assisted Wheelbarrow

- Ideal for carrying construction materials, agriculture materials and cleaning supplies in hotels,
- Max Output 250W
- Up to 2.16 km (1.3 miles) with a 130 kg (286 lb) load with (2) 18V 5.0 Ah batteries.
- Holds (2) 18V LXT® Lithium-Ion batteries but operates using (1) 18V battery at a time; utilizes second battery when needed
- Makita-built BL™ Brushless Motor delivers high energy efficiency to carry up to 275 lbs.
- 2-speed with maximum speed up to 2.5 MPH on a 12° incline
- Interchangeable steel bucket or steel tube flat bed (optional)

Speed Forward (High/Low MPH)	2.5 / 1 MPH
Speed Reverse (MPH)	.62 MPH
Max. Load Capacity	275 lbs.
Runtime w/ 18V LXT® 5.0Ah battery	45 min



Tool only, battery & charger not included makitalatinamerica.com 23







### **DUS054**

### 18V LXT® 5 L Sprayer

- 5 L capacity tank
- H-shaped nozzle selector to increase or decrease flow range and pressure
- 2-mode selectable (Mist and Stream modes)
- Maximum Pressure of 0.3 Mpa
- Single/double head spraying selection
- Adjustable Telescopic spray wand from 0.5 to 0.7 meters for hard to reach areas
- Net weight: 3.2 3.5 kg (7.1 7.7 lbs)

Runtime w/ 18V LXT® 5.0Ah battery: 6.5 hrs





### XPT

### **US053D**

### 12V CXT® 5 L Sprayer

- 5 L capacity tank
- H-shaped nozzle selector to increase or decrease flow range and pressure
- 2-mode selectable (Mist and Stream modes)
- Maximum Pressure of 0.3 Mpa
- · Single/double head spraying selection
- Adjustable Telescopic spray wand from 0.5 to 0.7 meters for hard to reach areas
- Net weight: 2.9 3.0 kg (6.4 6.6 lbs)

Runtime w/ 12V CXT® 4.0Ah battery: 4 hrs

### **COMING SOON**



### **DUS108**

18V LXT® 10 L Backpack Sprayer

### **DUS158**

18V LXT® 15 L Backpack Sprayer









### **DUP362**

### 18V X2 LXT® Pruning Shears

- Max output 200W
- Cutting Torque 250N
- Maximum Cutting Capacity: 33mm / Blade Opening: 54mm
- Blade can be interlocked with the trigger, providing smooth blade movement similar to that of a hand
- · Comfortable backpack harness
- The arm band and cable holder prevent the connection cable from hanging around the user's body and snagging on branches.
- Ergonomically designed handle with soft grip

Max cutting Capacity 33 mm (1-5/16")









### LXT P BL XPT ADT

### **DDG460**

### **18V X2 LXT® Brushless Earth Auger**

- Chuck capacity (1/16 1/2")
- Makita-built BL™ Brushless Motor delivers power of a 36cc gas earth auger
- Max Torque: High 48 N·m (430 lbs.) / Low 136 N·m (1,210 lbs.)
- Drill holes up to 8" wide and 41" deep
- High performance digging with even and consistent holes for landscaping, construction and soil sampling
- 2 speed options (Low: 0-350 RPM, High: 0-1,400 RPM) for power and run time

Up to 155 holes of 150mm diameter with 2 X 18V 6.0 Ah batteries



BL XPT ADT

### XGT **DG001G**

### **40V XGT® Brushless Earth Auger**

- Chuck capacity (1/16 1/2")
- Makita-built BL™ Brushless Motor delivers power of a 36cc gas earth auger
- Max Torque: High 55 N·m (487 lbs.) / 136 N·m (1,210 lbs.)
- Drill holes up to 8" wide and 41" deep
- High performance digging with even and consistent holes for landscaping, construction and soil sampling
- 2 speed options (Low: 0-400 RPM, High: 0-1,500 RPM) for power and run time

Up to 100 holes of 150mm diameter with 40V 4.0 Ah battery.



25

makitalatinamerica.com Tool only, battery & charger not included



OUTDOOR POWER EQUIPMENT ACCESSORIES Whether replacing a saw chain or adding a new attachment for your couple shaft, Makita® Accessories offer the finishing touch your outdoor power equipment needs. Made of quality materials, Makita® Accessories are durable to tackle demanding jobs. Complete your cordless, gas or corded equipment with the right accessory, so that you can *GET THE JOB DONE*.



### **Trimmer Line Accessories**

	Part #	Color	Gauge	Length	Features	Fits models
	E-01731	Blue	.065" Four-Leaf	49'		
100 Z C	E-01747	Blue	.065" Four-Leaf	98'		DUR181 / DUR192L
lo at	E-01753	Blue	.065" Four-Leaf	590'		
	E-01797	Orange	.095" Four-Leaf	49'		
10 Z (c)	E-01806	Orange	.095" Four-Leaf	98'	1 layer. Four-Leaf design to reduce noise and improve battery runtime	DUR187 / DUR190 / DUX18 / DUR368 / DUX60 / UR002G / UR003G / UR101C / UR006G / UR008G / UX01G / DUR369 / UR012G
	E-01812	Orange	.095" Four-Leaf	590'		
	E-01828	Red	.106" Four-Leaf	49'		
Table 1 America	E-01834	Red	.106" Four-Leaf	98'		DUR368 / DUX60 / UR002G / UR003G / UR101C / UR006G / UR008G / UX01G / DUR369 / UR012G
	E-01840	Red	.106" Four-Leaf	590'		
	E-02733	Blue	.065" Round	49'		DUR181, DUR190
	E-02749	Orange	.095" Round	49'	1 Layer	
	E-02814	Orange	.095" Square	226'	ldeal for li <mark>g</mark> ht grass maintenance	DUR187 / DUR190 / DUX18 / DUR368 / DUX60 / UR002G / UR003G / UR101C / UR006G / UR008G / UX01G / DUR369 / UR012G  Gas engines: 25cc to 43cc
	E-02820	Orange	.095" Square	675'		
	E-02836	Yellow	.118" Round	49'		
	E-02886	Yellow	.118" Square	144'	2 layers For commercial use. Provides more speed, resistance and durability	DUR368 / DUX60 / UR002G / UR003G / UR101C / UR006G / UR008G / UX01G / DUR369 / UR012G  Gas engine: 25cc to 43cc
	E-02892	Yellow	.118" Square	433'		

### **Trimmer Heads**

 Part #	Description	Benefits	Arbor	Fits models
196146-9	Bump and Feed Trimmer Head	Simple assembly, easy and quick to change	M4	DUR181
198386-5	Bump and Feed Trimmer Head	Bump and feed for quick line advancement	M8x1.25LH	DUR187L/U
197804-0	Bump and Feed Trimmer Head	Bump and feed for quick line advancement	M10x1.25LH	DUR190L, DUR192L, DUR368A/L, DUR369A/L, UR002G, UR003G, UR008G UR101C, UR012G, DUX18, DUX60, UX01G
B-05125	Nylon Head Ultra Automatic	Simple assembly, easy and quick to change	M10x1.25LH	DUR368A/L, DUR369A/L, UR002G, UR003G, UR008G UR101C, UR012G, DUX60, UX01G
197296-3	Bump and Feed Trimmer Head	Bump and feed for quick line advancement	M10x1.25LH	DUR190L, DUR192L, DUR368A/L, DUR369A/L, UR002G, UR003G, UR006G, UR008G UR101C, UR012G
B-02951	Nylon Cord Cutter Manual	Durable, fast and easy feeding	M10	DUR368A/L, DUR369A/L, UR006G, UR008G UR101C, UR012G, UX01G



Part #	Size	Fits Models
D-66058	9" x 5/64" x 1"	DC: 18V - 36V - 40V Gas: 23.5cc to 25.7cc
D-66064	10" x 5/64" x 1"	Gas: 29cc to 43cc



Part # Size		Fits Models	
D-66020	9" x 1/8" x 1"	DC: 18V – 36V – 40V Gas: 23.5cc to 25.7cc	
D-66036	10" x 1/8" x 1"	Gas: 29cc to 43cc	
D-66042	12" x 1/8" x 1"	DC: 80V Gas: 33.5cc to 43cc	



Part #	Size	Fits Models
D-66008	9" x 1/16" x 1"	DC: 18V – 36V – 40V Gas: 23.5cc to 25.7cc
D-66014	10" x 1/16" x 1"	Gas: 29cc to 43cc



### **Chain Saw Guide Bars & Chains**



chain guidance and long life.

Slim contour for less weight and increased maneuverability

### **Saw Chains**



Low profile chain, designed for up to 42 cc chain saws. Kickback protection.

Ideal for semi-professionals.



High performance and low kickback, designed for up to 42 cc chain saws.

Ideal for for commercial use.

Guide Bar	Length	Pitch	Gauge	Saw Chain	Chain Type	File Size	Fits Models
161848-6	8"	3/8"	.043"	199076-3	90PX	5/32"	DUC204
161846-0	10"	3/8"	.043"	199075-5	90PX	11/64"	DUC254
168408-5	10"	3/8"	.050"	196205-9	91PX	5/32"	DUC254, DUA301
165245-8	12"	3/8"	.043"	196740-7	90PX	11/64"	DUC306, UA004G, DUA301
165200-0	12"	3/8"	.050"	196206-7	91PX	5/32"	DUC306
165246-6	14"	3/8"	.043"	196741-5	90PX	11/64"	DUC356, DUC353, DUC355
165201-8	14"	3/8"	.050"	196212-2	91PX	5/32"	DUC356, DUC353, DUC355
165247-4	16"	3/8"	.043"	196742-3	90PX	11/64"	DUC406
165202-6	16"	3/8"	.050"	196213-0	91PX	5/32"	DUC406

### Other accessories

	Part #	Description
<b>L</b>	D-67480	Filing vice
Thakita	D-67496	File Handle
	D-67452	Flat File
, makita	D-67474	Depth Gauge Tool
	D-67359	4.0mm (5/32") Round File
	D-67371	4.5mm (11/64") Round File
	D-67393	4.8mm (3/16") Round File
	D-67430	5.5mm (7/32") Round File
	D-70948	4.0mm (5/32") Sharpening File Guide Set
	D-70954	4.5mm (11/64") Sharpening File Guide Set
al	D-70960	4.8mm (3/16") Sharpening File Guide Set
	D-70998	150mm (6") Depth Gauge & Flat File Set

### **Bar and Chain Oil**

	Part #	Description
Trakita.  har	195093-1	Ideal for use with all Makita Chain Saws. Reduces bar, chain and sprocket wear for longer bar and chain life

**HEDGE TRIMMER ACCESSORIES** 

<b>Blades</b>							
	Part #	Size	Fits Models				
CHARARARA O	195769-0	20"	DUH523				
***************************************	191P00-8	18"	DUN461				
Hamman paragraph	199099-1	23"	DUH601				
C	191R57-1	23"	UH008G				
The state of the s	191014-9	19,5"	DUN500W				
Comment of the state of the sta	191R55-5	23"	UH006G				

	Part #	Fits Models
· direction	191743-4	DUN461
	199151-5	DUH601
	191R51-3	UH004G, UH006G, UH008G

**Chip receiver** 



### **Blades**



CAR.	

Part #	Size	Fits Models
191D52-7	21"	DLM530, DLM532, DLM533

**LAWN MOWER ACCESSORIES** 







### **Batteries & Chargers / Charging time Chart**

Datterie	S & Gliai į	gera / ur	ıaı yılış	y tillie Gliai t		1		Ì		
			XGT 40V		XGT 40V + LXT 18V Adapter		LXT 18V			
				DC40RA Rapid Charger	<b>DC40RC</b> Stadard Charger	DC40RA + ADP10	DC40RC + ADP10	DC18RC Rapid Charger	DC18SF 4-port Charger	DC18SD Standard Charger
				DC40RB Dual port Charger	F			DC18RD Dual Port Charger		DC18SE Automotive Charger
		BL4050F	5.0 AH	50 Min.	85 Min.	-	-	-	-	-
XGT		BL4040	4.0 AH	45 Min.	67 Min.	-	-	-	-	-
40v		BL4025	2.5 AH	28 Min.	38 Min.	-	-	-	-	-
		BL4020	2.0 AH	22 Min.	30 Min.	-	-	-	-	-
		BL1860B	6.0 AH	-	-	40 Min.	85 Min.	55 Min.	1 to 2 3 to 4 Batteries Batteries 130 Min. 260 Min.	130 Min.
		BL1850B	5.0 AH	-	-	35 Min.	70 Min.	45 Min.	110 Min. 220 Min.	110 Min.
		BL1840B	4.0 AH	-	-	29 Min.	58 Min.	36 Min.	90 Min. 180 Min.	90 Min.
18V		BL1830B	3.0 AH	-	-	22 Min.	42 Min.	22 Min.	60 Min. 120 Min.	60 Min.
		BL1820B	2.0 AH	-	-	24 Min.	33 Min.	24 Min.	45 Min. 90 Min.	45 Min.
		BL1815N	1.5 AH	-	-	15 Min.	22 Min.	15 Min.	30 Min. 60 Min.	30 Min.

**Adapter** 



chargers to charge 18V

LXT® batteries

XGT 40V Kits

ADP<sub>10</sub> Adapts 40V max XGT® 191V17-7 (120v) / 191V18-5 (240v)

DC40RC + (2) BL4020 + MAKPAC

191K67-6 (120v) / 191K69-2 (240v)

DC40RA + (1) BL4025 + MAKPAC

191J77-7 (120v) / 191J81-6 (240v) DC40RA + (2) BL4025 + MAKPAC

191J61-2 (120v) / 191J65-4 (240v)

DC40RA + (1) BL4040 + MAKPAC

191U01-6 (120v)

DC40RB + (2) BL4040

199993-7

DC18SD + (1) BL1830B

191L69-8

DC18RC + (1) BL1850B

**LXT 18V Kits** 

DC18RD + (4) BL1850B + MAKPAC

191K41-4

DC18RD + (2) BL1860B + MAKPAC

191K40-6

DC18RD + (4) BL1860B + MAKPAC





