



CLEANING SOLUTIONS

2020 – 2021 CATALOG



NEW SOLUTIONS FROM THE CORDLESS EXPERTS

Cover a larger area and increase efficiency with Makita® Cordless Janitorial and Facility Maintenance Products. Makita's LXT® Cordless backpack vacuums, commercial compact vacuums, canister vacuums, industrial robotic vacuums, blowers, and accessories offer freedom from the cord and increased productivity. With unsurpassed quality and performance, Makita's LXT® Cordless Products lower the cost of ownership and maintenance. Makita provides a solution for a variety of applications, all in one cordless system, so that users can get the job done quickly and easily.

WHAT'S INSIDE

BACKPACK VACUUMS

PGS. 6-9

STICK VACUUMS

PGS. 10-13

CANISTER VACUUMS

PGS. 14-17

ROBOTIC VACUUMS

PGS. 18-19

BLOWERS

PGS. 20-21

VACUUMS AND DUST EXTRACTORS / OPE JACKET

PG. 22

LXT® BATTERIES & CHARGERS

PG. 23





CORDLESS BENEFITS



MOBILITY

Freedom from cords for maximum convenience.



TIME SAVINGS

18V LXT® Lithium-Ion Batteries have fast charge times, so users can keep moving.



ERGONOMICS

Products weigh less and are well-balanced to reduce operator fatigue.



COST EFFICIENT

Reduce maintenance costs and cost of ownership with Makita® LXT® Cordless Vacuums.



LOWER NOISE

The exclusive BL™ Brushless Motor delivers lower sound, minimizing disruption.



LONGER RUN TIME

Makita-built brushless motors efficiently use energy to provide cordless power tools with longer run time.



THE LXT® ADVANTAGE

Get more power, speed, and run time with the LXT® Cordless Advantage. Makita's fast-charging LXT® Lithium-Ion Batteries, efficient Rapid Optimum Chargers, industry-leading brushless motors, and Star Protection Computer Controls™ work together for maximum cordless performance.

UP TO **50% MORE RUN TIME**



LXT® BATTERY

Battery delivers constant power and longer run time, even in extreme temperatures.

UP TO **3X FASTER CHARGING**



RAPID CHARGER

Charger communicates with the battery's built-in chip to optimize battery life, controlling current, voltage, and temperature.

UP TO **50% LONGER MOTOR LIFE**



BRUSHLESS MOTORS

Brushless motors eliminate carbon brushes and run contact-free, enabling the motor to run cooler and more efficiently for longer life.

EFFICIENT POWER MANAGEMENT



STAR PROTECTION

Communication technology between the tool and battery to protect against overload, over-discharge and overheating.

¹ Vs. Makita® 18v Ni-Cd Battery. ² Vs. Makita® 18v Ni-Cd Charger. ³ Vs. Makita® Cordless Motors with Brushes. ⁴ Protection against Overloading, Over-Discharging & Overheating.



ONE SYSTEM. ENDLESS POSSIBILITIES.

The Makita® LXT® Cordless System takes you from power tools to vacuums to get the job done. Utilizing 18V lithium-ion slide style batteries, the LXT® System works with 320+ cordless products*.



*In 2020



BACKPACK VACUUMS

The Makita® Cordless Backpack Vacuums are portable and weigh less. This compact clean-up solution eliminates extension cords and allows access to hard-to-reach spaces. Select from different capacity options based on your cleaning job needs.



NO CORDS

No cords means no trip hazards, preventing injury while cleaning.



MULTIPLE POWER SETTINGS

A push button power controller offers high/normal selection and attaches to the waist.



FAST CHARGING

A built-in fan circulates air between the charger and battery to cool the battery for faster charge time.

50% LIGHTER THAN THE LEADING COMPETITOR

<p>9.9 LBS.</p>  <p>BATTERY RECHARGE TIME 45 MIN.</p> <p>MAKITA BACKPACK VACUUM (XCV09)</p> <p>COMFORT</p>	<p>18 LBS.</p>  <p>BATTERY RECHARGE TIME 2.5 HRS.</p> <p>COMPETITOR BACKPACK VACUUM</p>
<p>Makita® Cordless Backpack Vacuum (DVC261) features an adjustable harness to provide comfort and accommodate multiple statures.</p>	

FEATURES AND BENEFITS

HEPA filter

Efficient two stage HEPA filter captures 99.97% of particulates .3 microns and larger extending the life of the main filter



Disposable and reusable dust bag options




LXT BRUSHLESS

Brushless technology enables motor to run more efficiently for longer life

Padded shoulder straps and waist belt with multiple adjustments for improved fit and comfort

Push button power selection controller for (high/low) operation; attaches to waist belt of the harness



Built-in L.E.D. on the controller illuminates the work area

Low profile design for hard to reach spaces and swivel joint with wheels for increased maneuverability



CUSTOMER TESTIMONIALS

"We have used several Makita JanSan products in the past year, and the 18V LXT® platform that powers all of our tools has been very useful to our franchise owners. Ease of use is very important to us."

JOE C.
EQUIPMENT LEASING MANAGER

"My team loves the Makita® cordless vacuum, and we're looking to purchase two more in the future. It's very convenient when cleaning the elevators, stairwells and hard-to-reach spaces. Maria loves how easy it is to operate its three speeds, flashlight, and telescoping handle. According to Maria this is the best piece of equipment we have in the hospital. I highly recommend the Makita® cordless vacuum."

JAIME B.
DIRECTOR, ENVIRONMENTAL, LINEN & TRANSPORT SERVICES

"Just wanted to share a quick note and let you know that the Makita® DVC261 Backpack Vacuum really works well here in the Library, especially in our public area, on hard floors, elevators, and carpet stairs. We're so glad that we purchased this backpack, and it makes work easier and more efficient. The DVC261 Backpack Vacuum is so light, with a surprising amount of power."

JERALD G.
LEAD CUSTODIAN

MODEL AND KIT SPECIFICATIONS


HEPA filter
LXT BRUSHLESS
DVC261

 18V X2 LXT® (36V) Brushless
 1/2 Gallon HEPA Filter
 Backpack Dry Vacuum

HEPA filter
LXT BRUSHLESS
DVC265

 18V X2 LXT® (36V) Brushless
 1/2 Gallon HEPA Filter Backpack
 Dry Dust Extractor/Vacuum

HEPA filter
LXT BRUSHLESS
DVC660 **NEW**

 18V X2 LXT® (36V) Brushless
 1.6 Gallon HEPA Filter
 Backpack Dry Vacuum

HEPA filter
LXT BRUSHLESS
DVC665 **NEW**

 18V X2 LXT® (36V) Brushless
 1.6 Gallon HEPA Filter Backpack
 Dry Dust Extractor/Vacuum

	More capacity	More Power	High Capacity + Longer Run Time	Maximum efficiency
Air Flow Rate	70 CFM	64 CFM	78 CFM	64 CFM
Static Water Lift	44"	44"	44"	44"
Dust Capacity	.5 gal.	.5 gal.	1.6 gal.	1.6 gal.
Run Time (w/ 5.0Ah Batteries)	Up to 116 minutes	Up to 62 minutes	Up to 139 minutes	Up to 62 minutes
Weight (w/ 5.0Ah Batteries)	9.9 lbs.	10 lbs.	15 lbs.	15 lbs.
Available as	DVC261Z, DVC261ZX11	DVC265ZX	DVC660ZX2	DVC665Z

Model #	Description	Includes
DVC261Z	18V X2 LXT® (36V) Brushless 1/2 Gallon HEPA Filter Backpack Dry Vacuum	Aluminum Telescoping Extension Wand, 11" universal nozzle, filter bag, HEPA filter
DVC261ZX11	18V X2 LXT® (36V) Brushless 1/2 Gallon HEPA Filter Backpack Dry Vacuum	Aluminum Telescoping Extension Wand, 11" universal nozzle, filter bag, HEPA filter
DVC265ZX	18V X2 LXT® (36V) Brushless 1/2 Gallon HEPA Filter Backpack Dry Dust Extractor/Vacuum	Hose, nozzle, filter bag, HEPA filter
DVC660ZX2	18V X2 LXT® (36V) Brushless 1.6 Gallon HEPA Filter Backpack Dry Vacuum	1-1/4" x 39" flexible anti-static hose, 11" universal nozzle, aluminum Telescoping Extension Wand, filter bag, HEPA filter, rubber nozzle, round brush
DVC665	18V X2 LXT® (36V) Brushless 1.6 Gallon HEPA Filter Backpack Dry Dust Extractor/Vacuum	Hose, nozzle, filter bag, HEPA filter



RECOMMENDED SEGMENTS

- Education
- Office Buildings
- Hotels and Resorts
- Retail
- Convenience Stores
- Healthcare
- Fitness and Wellness Centers
- Transportation


PARTS AND ACCESSORIES

Part #	Description	Compatible Tools
 123636-9	HEPA Filter	DVC261, DVC265
 197902-0	Filter Dust Bag, 10 units	DVC261, DVC265
 197898-5	Reusable Dust Bag	DVC261, DVC265
 143787-2	Flexible Anti-Static Hose, 1" x 39"	DVC261, DVC265
 123486-2	Floor Nozzle	DVC261, DVC265
 197900-4	Crevice Nozzle	DVC261, DVC265, DVC660, DVC665
 140619-0	Aluminum Telescoping Extension Wand (Extends up to 36")	DVC261, DVC265, DVC660, DVC665
 127082-8	11" Universal Floor Nozzle	DVC261, DVC265, DVC660, DVC665
 127093-3	Bent Pipe	DVC261, DVC265, DVC660, DVC665
 123677-5	Bent Pipe	DVC261, DVC265
 123584-2	Plastic Telescoping Extension Wand (Extends up to 31")	DVC261, DVC265
 191657-9	2-3/8" Black Round Brush	DVC860 DVC862 DVC150 DVC152



IDEAL USAGE AREAS

- > Classrooms
- > Hallways
- > Offices
- > Staircases
- > Elevators
- > Reception and Waiting Rooms
- > Around Shelving and Equipment





STICK VACUUMS

Makita® 18V LXT® Cordless Stick Vacuums are efficient solutions for fast cleaning, without compromising performance. With a versatile design, stick vacuums are ideal for multiple applications.



MOBILITY

No cords means no trip hazards, preventing injury while cleaning.



EASY STORAGE

Compact and ergonomic design allows for easy storage in closets and tight spaces.



FAST CHARGING

A built-in fan circulates air between the charger and battery to cool the battery for faster charge time.

FAST AND EFFICIENT CLEANING



VERSATILITY

Ideal for hard floor, upholstery, vehicle, and short pile carpet. Great for home, retail, education, medical, and transportation segments.



EASE-OF-USE

Flat nozzle with ball-and-socket feature for maneuverability and access to hard to reach areas. Compact design reduces operator fatigue, especially for overhead usage.

MODEL AND KIT SPECIFICATIONS



	3-Speed	Standard Model	3-Speed	Standard Model	3-Speed
Air Flow Rate	45 CFM	45 CFM	42 CFM	49 CFM	Hasta 53 CFM
Static Water Lift	12,8"	12,4"	17,6"	16,8"	33"
Run Time (w/ 2.0Ah Battery)	Up to 12 Minutes	Up to 21 Minutes	Up to 33 Minutes	Up to 33 Minutes	Up to 83 Minutes
Weight (w/ 2.0Ah Battery)	1.9 lbs.	2.2 lbs.	2.3 lbs.	3.2 lbs.	2.7 lbs.
Switch Function	3-Speed Push Button	Trigger Mode	3-Speed Push Button	Trigger Mode	3-Speed Push Button
Debris Disposal	Open Canister	Open Canister	Open Canister	Open Canister	Open Canister
Available as	CL104DWY	CL106FDWA, CL106FDZ	CL108FDWYW, CL108FDZW	DCL180RFB, DCL180Z	DCL281FZ

Model #	Description	Includes
CL104DWY	12V Vacuum	Floor nozzle, nozzle and sash holder, Extension Attachment, filter. Integrated Battery
CL106FDWA	12V CXT® Vacuum	Floor nozzle, nozzle and sash holder, Extension Attachment, filter, pre-filter. 12V charger and 12V 2.0 Ah battery.
CL106FDZ	12V CXT® Vacuum, tool only	Floor nozzle, nozzle and sash holder, Extension Attachment, filter, pre-filter.
CL108FDWYW	12V CXT® Vacuum	Floor nozzle, nozzle and sash holder, Extension Attachment, filter, pre-filter. 12V charger and 12V 1.5 Ah battery.
CL108FDZW	12V CXT® Vacuum, tool only	Floor nozzle, nozzle and sash holder, Extension Attachment, filter, pre-filter.
DCL180RFB	18V LXT® Vacuum	Floor nozzle, nozzle and sash holder, Extension Attachment, filter, pre-filter. 18V charger and 18V 3.0 Ah battery.
DCL180Z	18V LXT® Vacuum, tool only	Floor nozzle, nozzle and sash holder, Extension Attachment, filter, pre-filter.
DCL281FZ	18V LXT® Brushless 3-Speed Vacuum, tool only	Floor nozzle, nozzle and sash holder, Extension Attachment, filter, pre-filter.



HIGHER-EFFICIENCY CLEANUP

BOOST PERFORMANCE OF A MAKITA® STICK VACUUM WITH THE MAKITA® CYCLONIC VACUUM ATTACHMENT

The Makita® Cyclonic Vacuum Attachment is engineered for easy disposal of debris and reduces the amount of dust that enters the vacuum's dust bag. The efficient cyclonic action captures up to 90% of dust particles and increases productivity by reducing the need to empty the main canister/filter.



ONE-TOUCH RELEASE FOR EASY DISPOSAL OF DEBRIS



PREVENTS SUCTION FORCE FROM WEAKENING BY REDUCING THE AMOUNT OF DUST THAT ENTERS THE VACUUM



FEATURES AND MODELS



Extends the overall length of the vacuum

Increases the longevity of the filter and reduces the frequency of emptying the main canister or dust bag by up to 84%

Click system securely attaches to vacuums.
191D73-9 compatible with DCL281
191D75-5 compatible with DCL180, CL106, CL108.

Powerful cyclonic action captures up to 90% of dust particles before entering the main canister




191D73-9 **NEW**
Black Cyclonic Vacuum Attachment
Compatible with DCL281



191D75-5 **NEW**
Black Cyclonic Vacuum Attachment w/ Lock
compatible with DCL180, CL106, CL108.

PARTS AND ACCESSORIES

Part #	Description	Compatible Tools	Part #	Description	Compatible Tools
 198150-4	CARPET NOZZLE	CL104D	 198549-3	ROUND BRUSH	CL106, DCL180, DCL281, CL121
 198548-5	ROUND BRUSH	CL104D	 198534-6	TABLE BRUSH	CL106, DCL180, DCL281, CL121
 191724-0	TABLE BRUSH	CL104D	 199040-4	CARPET NOZZLE	CL106, DCL180, DCL281, CL121
 416041-0	SHORT NOZZLE	CL104D	 140H95-0	CARPET NOZZLE	CL106, DCL180, DCL281, CL121
 191496-7	FLEXIBLE HOSE	CL104D	 459056-4	CAR NOZZLE	CL106, DCL180, DCL281, CL121
 198183-9	CARPET NOZZLE	CL108D	 140H94-2	LONG SOFT BRUSH	CL106, DCL180, DCL281, CL121
 198525-7	CARPET AND FLOOR NOZZLE	CL108D	 198989-5	LONG NOZZLE	CL106, DCL180, DCL281, CL121
 123486-2	FLOOR NOZZLE	CL108D	 451243-1	SHORT NOZZLE	CL106, DCL180, DCL281, CL121
 198877-6	ROUND BRUSH	CL108D	 197900-4	FLEXIBLE NOZZLE	CL106, DCL180, DCL281, CL121
 198872-6	TABLE BRUSH	CL108D	 422437-5	FLEXIBLE LONG NOZZLE	CL106, DCL180, DCL281, CL121
 199037-3	CARPET NOZZLE	CL108D	 198914-6	REUSABLE CLOTH FILTER (10 UNITS)	CL106, CL108, DCL180
 198918-8	LONG NOZZLE	CL108D	 198750-0	REUSABLE PREFILTER	CL106, CL108, DCL180
 451240-7	SHORT NOZZLE	CL108D	 194566-1	PAPER FILTER (10 units)	CL104, CL121
 197900-4	FLEXIBLE NOZZLE	CL108D	 198746-1	REUSABLE CLOTH FILTER	CL104, CL121
 199431-9	CARPET AND FLOOR NOZZLE	CL106, DCL180, DCL281, CL121	 198752-6	REUSABLE CLOTH FILTER	DCL180
 198523-1	CARPET AND FLOOR NOZZLE	CL106, DCL180, DCL281, CL121	 422268-2	SPONGE FILTER	DCL180, DCL281
 122859-6	FLOOR NOZZLE	CL106, DCL180, DCL281, CL121	 199966-0	REUSABLE CLOTH FILTER	DCL281



CANISTER VACUUMS

Makita® Cordless and Corded Canister Vacuums offer maximum versatility and convenience. These heavy-duty commercial canister vacuums are available in 2-gallon and 4-gallon capacities. Makita® Canister Vacuums are easy to maneuver and feature a large rubber bumper designed to prevent damages to furniture and fixtures.



FAST CHARGING

A built-in fan circulates air between the charger and battery to cool the battery for faster charge time.



MULTIPLE POWER SETTINGS


A push button power controller offers high/normal selection and attaches to the waist.



LOWER NOISE

With Auto-start Wireless System (AWS™) technology, the backpack vacuum only runs when the synced tool is in operation.

VERSATILE FOR A VARIETY OF APPLICATIONS



DUAL-POWER

Cordless or corded operation for maximum versatility.



WET/DRY

Clean up dry dust, dirt and debris or use the vacuum to tackle wet cleanups.

MODEL AND KIT SPECIFICATIONS



LXT X2 18V + 18V 36V
DVC150L **NEW**
 18V X2 LXT® (36V) Vacuum



LXT BRUSHLESS
DVC152L **NEW**
 18V X2 LXT® (36V) Vacuum



LXT X2 18V + 18V 36V
DVC153L
 18V X2 LXT® (36V) **NEW**
 Dust Extractor/Vacuum



LXT BRUSHLESS
DVC864L
 18V X2 LXT® (36V)
 Dust Extractor/Vacuum

	Cordless + Corded	Cordless	Cordless	Cordless
Air Flow Rate - Cordless	74 CFM	74 CFM	74 CFM	74 CFM
Air Flow Rate - Corded	127 CFM	--	--	--
Tank Size - Dry	15 L	15 L	15 L	8 L
Tank Size - Wet	12 L	12 L	--	8 L
Run Time (w/ 5.0Ah Batteries)	30 to 65 Minutes	40 to 100 Minutes	40 to 100 Minutes	Up to 40 Minutes
Filtration System	HEPA filtration	HEPA filtration	HEPA filtration	HEPA filtration
Static Water Lift	96" AC / 36" DC	39"	39"	39"
Available as	DVC150LZ	DVC152LZ	DVC153LZ	DVC864LZ

Model #	Description	Includes
DVC150LZ	18V X2 LXT® (36V) HEPA Filter. Vacuum. Tool only.	Floor nozzle, plastic bags (10 units), accessory drawer, straight pipe, curved pipe, crevice nozzle and hose.
DVC152LZ	18V X2 LXT® (36V) HEPA Filter. Vacuum. Tool only.	Floor nozzle, plastic bags (10 units), accessory drawer, straight pipe, curved pipe, crevice nozzle and hose.
DVC153LZ	18V X2 LXT® (36V) HEPA Filter. Dust Extractor/Vacuum. Tool only.	Floor nozzle, plastic bags (10 units), accessory drawer, straight pipe, curved pipe, crevice nozzle and hose.
DVC864LZ	18V X2 LXT® (36V) HEPA Filter. Dust Extractor/Vacuum. Tool only.	Floor nozzle, plastic bags (10 units), accessory drawer, straight pipe, curved pipe, crevice nozzle and hose.



PARTS AND ACCESSORIES

Part #	Description	Compatible Tools
 195433-3	Anti-Static Hose, 1" x 11'	DVC863L, DVC864L, DVC153L, DVC157L
 195434-1	Anti-Static Hose, 1-1/2" x 8'	DVC860L, DVC862L, DVC863L, DVC864L DVC150L, DVC152L, DVC153L
 122512-4	12" Universal Floor Nozzle	DVC860L, DVC862L, DVC863L, DVC864L DVC150L, DVC152L, DVC153L
 192563-1	Straight Pipe	DVC860L, DVC862L, DVC863L, DVC864L DVC150L, DVC152L, DVC153L
 192562-3	Curved Pipe	DVC860L, DVC862L, DVC863L, DVC864L DVC150L, DVC152L, DVC153L
 410306-2	13" Ivory Crevice Nozzle	DVC860L, DVC862L, DVC863L, DVC864L DVC150L, DVC152L, DVC153L
 417765-1	Tool Cuff Adapter, 22mm for 1" Hose	DVC860L, DVC862L, DVC863L, DVC864L DVC150L, DVC152L, DVC153L, DVC157L DVC261, DVC265, DVC660, DVC665
 195546-0	Tool Cuff Adapter, 24mm for 1" Hose	DVC860L, DVC862L, DVC863L, DVC864L DVC150L, DVC152L, DVC153L, DVC157L DVC261, DVC265, DVC660, DVC665
 417766-9	Tool Cuff Adapter, 38mm for 1" Hose	DVC860L, DVC862L, DVC863L, DVC864L DVC150L, DVC152L, DVC153L, DVC157L DVC261, DVC265, DVC660, DVC665
 195432-5	Plastic Disposal Bag, 10 units	DVC860L, DVC862L, DVC863L, DVC864L DVC150L, DVC152L, DVC153L, DVC157L
 197166-6	HEPA Filter	DVC863, DVC153, DVC864L, DVC157L
 195552-5	Damper Filter	DVC863, DVC153, DVC864L, DVC157L
 195553-3	Pre-Filter	DVC863L, DVC153L, DVC864L, DVC157L
 140248-3	Cloth Vacuum Filter	DVC860L, DVC150L, DVC862L, DVC152L
 PDC01	LXT® and LXT® X2 (36V) Portable Backpack Power Supply	COMPATIBLE WITH ALL 18V AND 36V CORDLESS TOOLS



POWERFUL CLEANING SOLUTION

VC4710

12 Gallon Xtract Vac™
Wet/Dry Dust Extractor/Vacuum

Air Flow Rate	135 CFM
Static Water Lift	92"
Tank Size	12 gal.
Filtration System	HEPA Filtration
Power Cord	24.6 ft.

Includes: HEPA filter, anti-static hose, cuff adapter, fleece nano filter bag, disposable bag, crevice nozzle.

FEATURES AND BENEFITS

Motor chamber constructed of quality sound-absorbing materials, delivering an operating sound level of only 59 dB(A)



12 AMP motor generates 135 CFM of suction power to take on the most challenging applications



Variable speed control dial

PARTS AND ACCESSORIES

Part #	Description
 P-79859	HEPA FILTER 2 units
 W6084	CREVICE NOZZLE
 P-70312	8-Piece Flooring Set



ROBOTIC VACUUMS

Clear the floor with the 18V X2 LXT® Brushless Cordless Robotic Vacuum, a state-of-the-art vacuum designed to automatically clean large spaces in commercial applications. Innovative robotic guidance technology guarantees reliable task automation and increases productivity.



NO CORDS

Makita® LXT® Robotic Vacuums offer freedom from the cord and unprecedented mobility to clean expansive spaces.



NO BROOMS

There is no need to compile debris and the robotic vacuums will capture the tight spaces brooms cannot reach.



REDUCED LABOR

Let the Makita® LXT® Robotic Vacuum provide cost savings by reducing labor costs.

MODEL AND KIT SPECIFICATIONS

LXT[®] LITHIUM-ION BRUSHLESS DRC200

18V X2 LXT® Brushless Robotic Vacuum

Gross Container Size	.66 gal.
Cleaning Width	8-7/8"
Sound Level	64 dB(A)
Max Run Time	Up to 200 Minutes
Available as	DRC200Z

CLEANS APPROX.

5,380 SQ.FT.
OF HARD FLOOR SURFACES
(ABOUT 2-1/2 TENNIS COURTS)

RUN TIME:

UP TO **200 MINUTES**

*On hard floors in "Main Brush plus Vacuum" mode using two 18V LXT® 5.0Ah batteries

Model #	Description	Includes
DRC200Z	18V X2 LXT® Lithium-Ion Brushless Cordless Robotic Vacuum, Tool Only	Boundary Tape (SH00000240), High Efficiency Filter (SH00000213), Wireless Remote Control (SH00000238)

FEATURES AND BENEFITS



COMPLETE CLEANING PERFORMANCE

Three stage cleaning utilizes side brushes, main brush and vacuum suction to ensure complete cleaning. Comes with an easily accessible large dust box ensuring ample capacity for commercial applications and its cruise mode function combined with multiple detection sensors efficiently navigates and performs complete coverage of floor space.



FIND YOUR ROBOTIC VACUUM ANYWHERE

Press the location beacon button on the remote control to help you locate the Robotic Cleaner.



KEEP RESTRICTED AREAS OFF-LIMITS

Boundary line mode prevents the vacuum from traveling into restricted zones when a boundary tape line is placed.



CAPACITY

Easily accessible large 5/8" gallon dust box ensures ample capacity for commercial applications.

IDEAL USAGE AREAS

- > Gymnasiums
- > Offices
- > Cafeterias
- > Department Stores
- > Schools
- > Museums
- > Libraries
- > Hospitals
- > Convention Centers


ALSO AVAILABLE



SH0000240
Boundary Tape


CRUISE MODES

The Robotic Vacuum offers two navigation options called Cruise Modes. Cruise Mode functionality combined with multiple detection sensors allow the Robotic Vacuum to efficiently navigate and perform complete coverage of floor space.



PATTERN MODE

Use Pattern Mode for cleaning wide spaces with fewer obstacles, like warehouses, or long corridors.



RANDOM MODE

Use Random Mode for cleaning spaces with many obstacles, like office spaces or gyms.



BLOWERS

Clean-ups just got easier with Makita® LXT® Cordless Blowers. Move more air with lower noise and none of the emissions associated with gas-powered blowers. The power and portability of Makita® LXT® Cordless Blowers make them ideal for interior clean-ups, such as movie theaters and loading docks, and exterior tasks such as cleaning stadiums and building entryways.



MOBILITY

Eliminate cords with Makita® LXT® Cordless Blowers and have the freedom to move.



LESS WEIGHT

Makita® LXT® Cordless Blowers feature a compact design and weigh less for reduced operator fatigue.



MULTIPLE POWER SETTINGS

Makita-built variable 3-speed motor produces a maximum air velocity speeds.

VERSATILITY



IDEAL USAGE AREAS

Makita® cordless blowers are great for cleaning entrances, lobbies, patios, loading docks, stadium seating, and more.



ATTACHMENTS

Makita® cordless blowers can be fitted with different nozzle attachments for different kinds of cleanups and user comfort.

MODEL AND KIT SPECIFICATIONS



LXT
DUB182
18V LXT® Blower



LXT BRUSHLESS
DUB184 **NEW**
18V LXT®
Brushless Blower



LXT BRUSHLESS
DUB362
18V X2 (36V) LXT®
Brushless Blower



LXT BRUSHLESS
DUB363 **NEW**
18V X2 (36V) LXT®
Brushless Blower/Vacuum

	Compact	High Power + Less Weight	High Power	High power and versatility.
Max Air Volume	91 CFM	459 CFM	473 CFM	473 CFM
Max Air Velocity	179 MPH	116 MPH	120 MPH	120 MPH
Overall Length	20-3/4"	32-1/2"	36-5/8"	36-5/8"
Weight (w/ One 5.0Ah Battery)	3.9 lbs.	6.5 lbs.	--	--
Weight (w/ Two 5.0Ah Batteries)	--	--	9 lbs.	14 lbs.
Run Time (w/ One 5.0Ah Battery)	Up to 12 Minutes	Varies (cruise control)	--	--
Run Time (w/ Two 5.0Ah Batteries)	--	--	Up to 28 Minutes	Up to 64 Minutes
Available as	DUB182Z	DUB184Z	DUB362PT2, DUB362RM2, DUB362Z	DUB363ZV-240

Model #	Description	Includes
DUB182Z	18V LXT® Blower	Flexible nozzle, dust collection bag
DUB184Z	18V LXT® Brushless Blower	--
DUB362PT2	18V X2 (36V) LXT® Brushless Blower	Telescopic nozzle, back harness. Dual 18V charger, 2 x 18V 5.0 ah batteries
DUB362RM2	18V X2 (36V) LXT® Brushless Blower	Telescopic nozzle, back harness. Dual 18V charger, 2 x 18V 4.0 ah batteries
DUB362Z	18V X2 (36V) LXT® Brushless Blower	Telescopic nozzle, back harness.
DUB363ZV	18V X2 (36V) LXT® Brushless Blower/Vacuum	Telescopic blower nozzle, back harness, 50L capacity collection bag, telescopic vacuum nozzle, angle tube.

PARTS & ACCESSORIES

Part #	Description	Compatible Tools
 123241-2	Dust Bag	DUB182
 132025-7	Rubber Blower Nozzle	DUB182T1, DUB182Z, DUB183Z
 456958-5	Flat End Nozzle	DUB182T1, DUB182Z, DUB183Z
 455914-2	Front Nozzle	DUB362

VACUUMS AND DUST EXTRACTORS



CXT

CL121DZ

12V max CXT® Lithium-Ion Cordless Vacuum



LXT

DVC750LZ

18V LXT® Lithium-Ion Brushless Cordless 2 Gallon HEPA Filter Portable Wet/Dry Dust Extractor/Vacuum

	Super compact	Compact and versatile
Air Flow Rate	45 CFM	57 CFM
Static Water Lift	18.4"	27"
Container Size	Filtro 500 ML	2 gal.
Continuous Use	33 Minutes	60 Minutes
Filtration System	Paper filter	HEPA filter
Net Weight	3.7 LBS	10.1 LBS

JACKET



LXT

DFJ201

18V LXT® Lithium-Ion Cordless Fan Jacket

Size	Model #
2 KL	DFJ310Z2XL
XL	DFJ310ZXL
L	DFJ310ZL
3 XL	DFJ411Z3XL
2 XL	DFJ411Z2XL
XL	DFJ411Z2XL
L	DFJ411Z2L



3 air flow modes (high, medium, low) plus turbo mode for optimum air circulation



Up to 12 hours of run time with 18V LXT® 5.0Ah battery (sold separately)



Power sources accepts Makita® 18V LXT® and Compact lithium-ion batteries; features two USB power ports



100% Polyester and machine washable with fan unit and power source removed



ONE SYSTEM WITH OVER 320 SOLUTIONS*

Today, LXT® is the preferred cordless tool system on commercial and residential job sites, boasting the industry's largest collection of 18V tools and accessories, along with the industry's fastest 18V battery charge times. Makita® continues to set the bar when it comes to premium power and run-time, ensuring that the LXT® system delivers durable, dependable, high performance tools needed to complete any job.



*In 2020

199993-7 18V LXT® Battery & Charger Starter Pack

Includes: 18V LXT® Lithium-Ion Standard Charger (DC18SD) and 18V LXT® Lithium-Ion 3.0Ah Battery (BL1830B)



3.0 Ah BATTERY

BL1850BDC1 191L69-8

18V LXT® Battery & Charger Starter Pack

Includes: 18V LXT® Lithium-Ion Rapid Optimum Charger (DC18RC) and 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B)



5.0 Ah BATTERY



DC18SE

194618-8

18V LXT® Lithium-Ion Automotive Charger



DC18RE

198449-7

18V LXT® Lithium-Ion Rapid Optimum Charger



DC18RC

196433-6

18V LXT® Lithium-Ion
12V CXT® Lithium-Ion
Rapid Optimum Charger



DC18RD

196963-7

18V LXT® Lithium-Ion Dual Port Rapid Optimum Charger

Charges 2 Batteries Simultaneously



Part #	AMP	Charge Time
 197423-2	6.0 Ah BATTERY	55 MINUTES CHARGING TIME
 197280-8	5.0 Ah BATTERY	45 MINUTES CHARGING TIME
 197267-0	4.0 Ah BATTERY	40 MINUTES CHARGING TIME
 197599-5	3.0 Ah BATTERY	30 MINUTES CHARGING TIME
 197254-9	2.0 Ah BATTERY	25 MINUTES CHARGING TIME
 196235-0	1.5 Ah BATTERY	15 MINUTES CHARGING TIME



BRUSHLESS
X2
18V + 18V → 36V **NEW**

18V X2 LXT® (36V) Brushless
Cordless 1.6 Gallon HEPA Filter
Backpack Dry Vacuum

DVC660

**LARGER
CAPACITY**

1.6 GALLON FILTER BAG
FOR LESS FREQUENT DISPOSAL

**MORE
POWER**

78 CFM OF SUCTION POWER
44" OF WATER LIFT

**LONGER
RUN TIME**

**UP TO 139 MINUTES* OF
CONTINUOUS OPERATION**

*On normal setting and 40 minutes on max setting using two 18V LXT® 6.0Ah batteries

Makita



www.makitalatinamerica.com

The MAKITA® TEAL COLOR is the trade dress of Makita® Corporation and is protected under common law and registered with the U.S. Patent and Trademark Office. The Makita® Black & White color combination is the trade dress of Makita® Corporation and is protected under common law with the U.S. Patent and Trademark Office.