



**Makita**

**OUTDOOR**

**POWER EQUIPMENT**

**2026 CATALOG**

**Makita**

# **RULE THE OUTDOORS**

Be a part of something bigger with Makita® Outdoor Power Equipment. Makita offers a complete system of outdoor power equipment with more solutions for trimming, cutting and clean-ups to revolutionize the way you work. With a focus on new technology and innovative engineering, Makita meets the demands of today and tomorrow. How will you **RULE THE OUTDOORS?**



**WATCH OUR PRODUCTS IN ACTION**

[youtube.com/c/MakitaLatinAmerica](https://www.youtube.com/c/MakitaLatinAmerica)



## **CORDLESS**

**STRING TRIMMERS**

Pgs. 8 - 9

**COUPLE SHAFT**

Pgs. 10 - 11

**HEDGE TRIMMERS**

Pgs. 12 - 13

**BLOWERS**

Pgs. 14 - 14

**LAWN MOWERS**

Pgs. 16 - 17

**CHAIN SAWS**

Pgs. 18 - 19

**PORTABLE POWER SUPPLY**

Pgs. 20 - 21

**HIGH PRESSURE WASHER**

Pg. 22

**POWER ASSISTED WHEELBARROW**

Pg. 23

**SPRAYERS**

Pg. 24



**PRUNING  
SHEARS  
/ AUGER**

Pg. 25


## ACCESSORIES

**TRIMMERS  
BRUSH CUTTERS  
CHAIN SAWS**

Pgs. 26 - 31

**HEDGE TRIMMER  
BLOWERS  
LAWN MOWERS**

**WHEELBARROW  
AUGER  
BATTERIES & CHARGERS**



# **INNOVATION FOR OVER 100 YEARS**

Makita has been driven by engineering, innovation, and technology to provide products of unmatched quality and durability. Makita pioneered the first brushless motor tools for contractors, the world's first 4-stroke engine power cutter, and more. Makita utilizes research and ingenuity to manufacture best-in-class products. Makita is a worldwide leader in the industry, offering products in over 40 countries. On job sites around the world, Makita delivers the power, performance, and durability needed to get the job done.



#### BUSHLESS MOTOR

Makita® Brushless Motor is precision engineered to be more efficient than a comparable model. It reduces maintenance, provides longer run time and faster charging.



#### AUTOMATIC TORQUE DRIVE TECHNOLOGY

Automatic torque Drive Technology adjusts speed and torque for optimal performance, even in the most demanding applications.



#### EXTREME PROTECTION TECHNOLOGY

Makita® Extreme Protection Technology (XPT™) is a series of protective seals inside the tool engineered to channel water, dust, and debris away from the tool's key internal components, providing durability and longer tool life.



#### ACTIVE FEEDBACK SENSING TECHNOLOGY

Smart function to minimise the effect of kick-back. Active Feedback sensing Technology® uses an on-board accelerometer to measure rotation and electronically turns off the motor if rotation is suddenly forced to stop.



# MOST POWERFUL SYSTEM



40V max



80V max

## OUTPOWER




### PURE COPPER WIRE

Makita® XGT® features purpose-built brushless motors with more copper windings for increased power output.

### RARE EARTH MAGNETS

Of the highest quality are engineered within XGT® brushless motors to maximize power and performance.

## OUTSMART



### BUILT-IN MICROCHIPS

Real time digital communication, actively monitoring heat, overload, and over discharge.

### DIGITAL COMMUNICATION

Optimize performance to deliver up to 2X longer sustained power during demanding applications.

## OUTLAST



### IMPACT ABSORBENT STRUCTURE

Durable outer casing and cell holder create space within the battery to absorb impact.

### WATER AND DUST RESISTANCE

Triple layer and enhanced terminal structure are engineered to protect against water and dust.



### MULTI-LAYER SURFACE CONTACTS

Within tool and battery are designed to take on high current demands.

### RAPID OPTIMUM CHARGING SYSTEM

XGT® Charger with Dual Cooling Fans digitally communicates before and during the charging process, evaluating battery condition for faster charge.

# LXT<sup>®</sup>

# ONE SYSTEM ENDLESS POSSIBILITIES.

## 18V




## 36V

### LXT<sup>®</sup> BATTERY

UP TO **50% MORE RUN TIME<sup>1</sup>**


Battery delivers constant power and run time in extreme temperatures, even in winter (-4°F/ -20°C). Equipped with Star Protection Computer Controls™ to protect against overload, over-discharge, and overheating.



### RAPID OPTIMUM CHARGER

UP TO **3X FASTER CHARGING<sup>2</sup>**


The Makita<sup>®</sup> Rapid Optimum Charger communicates with the battery's built-in chip throughout the charging process to optimize battery life by actively controlling current, voltage and temperature.



### PURPOSE-BUILT BRUSHLESS MOTOR

UP TO **50% LONGER MOTOR LIFE<sup>3</sup>**


Makita-built Brushless Motor eliminates carbon brushes, enabling the motor to run cooler and more efficiently for longer life.



### STAR PROTECTION COMPUTER CONTROLS™

**EFFICIENT POWER MANAGEMENT<sup>4</sup>**

The demanding applications you take on every day are also demanding on your cordless tools and batteries. You rely on your tools, so Makita created Star Protection Computer Controls™.



<sup>1</sup> Vs. Makita<sup>®</sup> 18v Ni-Cd Battery. <sup>2</sup> Vs. Makita<sup>®</sup> 18v Ni-Cd Charger. <sup>3</sup> Vs. Makita<sup>®</sup> Cordless Motors with Brushes. <sup>4</sup> Protection against Overloading, Over-Discharging & Overheating.

# CORDLESS STRING TRIMMERS

**OUTER ROTOR  
BRUSHLESS MOTOR**

PROVIDES HIGH POWER AND INCREASED TORQUE

## UR003G

40V max XGT® Brushless  
String Trimmer

Automatic Torque Drive Technology  
mode automatically shifts from  
3,500-6,500 RPM for extended run  
time or added power

**XGT**  
BEYOND LIMITS



**LXI** **XPT**  
**DUR193**  
 18V String Trimmer

- For home use
- Delivers 7,800 RPM for faster cutting
- Telescoping shaft (48-1/4" to 56-1/2")
- Adjustable 5-position pivoting head
- 180° rotating head allows the trimmer to convert to edger
- Cutting capacity 260mm (10-1/4")

Runtime w/ 18V LXT® 5.0Ah battery:  
 Up to 75 min



**LXI** **BL MOTOR** **XPT**  
**DUR192L**  
 18V Brushless String Trimmer

- For home use
- 2 speed options (4,500 / 6,000 RPM)
- Variable speed trigger
- Split shaft for convenient storage and transportation
- Rapid load bump & feed trimmer head
- Cutting capacity 300mm (11-3/4")

Runtime w/ 18V LXT® 5.0Ah battery:  
 Up to 23 min (Low)



**LXI** **BL MOTOR** **XPT** **ADT** **AFT**  
**DUR190U / DUR190L**  
 18V Brushless String Trimmer

- For home/semi-professional use
- 3 speed options (3,500 / 5,100 / 6,000 RPM)
- Reverse button for grass clipping removal
- Tool-less cutting attachment change
- Cutting capacity 300mm (11-3/4")

Runtime w/ 18V LXT® 5.0Ah battery:  
 Up to 103 min (Low)



**LXI** **X2** **BL MOTOR** **XPT** **ADT** **AFT**  
**DUR368A / DUR368L**  
 18V X2 Brushless String Trimmer

- For semi-professional use
- Makita-built Outer Rotor BL™ Brushless Motor direct-drive system provides high power and increased torque
- Similar to a 20cc Gas engine
- 3 speed options (3,500 / 5,300 / 6,500 RPM)
- Cutting capacity 350 mm (13-3/4")

Runtime w/ 2x 18V LXT® 5.0Ah batteries:  
 Up to 104 min (Low)



**XGT** **BL MOTOR** **XPT** **ADT** **AFT**  
**UR002G**  
 40V Brushless String Trimmer

- For semi-professional use
- Makita-built Outer Rotor BL™ Brushless Motor delivers 550W maximum output
- Similar to a 20cc Gas engine
- 3 speed options (3,500 / 5,300 / 6,500 RPM)
- Cutting capacity 350 mm (13-3/4")

Runtime w/ 40V XGT® 5.0Ah battery:  
 Up to 92 min (Low)



**XGT** **BL MOTOR** **XPT** **ADT** **AFT**  
**UR003G**  
 40V Brushless String Trimmer

- For semi-professional use
- Makita-built Outer Rotor BL™ Brushless Motor delivers 550W maximum output
- Similar to a 20cc Gas engine
- 3 speed options (3,500 / 5,300 / 6,500 RPM)
- Cutting capacity 350 mm (13-3/4")

Runtime w/ 40V XGT® 5.0Ah battery:  
 Up to 92 min (Low)



**XGT** **BL MOTOR** **XPT** **ADT** **AFT**  
**UR006G**  
 40V Brushless String Trimmer

- For professional use
- Makita-built BL™ Brushless Motor delivers 1,000W maximum output
- Similar to a 30cc Gas engine
- 3 speed options (4,600 / 5,000 / 5,500 RPM)
- Cutting capacity 430 mm (17")

Runtime w/ 40V XGT® 5.0Ah battery:  
 Up to 30 min (Low)



**XGT** **BL MOTOR** **XPT** **ADT** **AFT**  
**UR008G**  
 40V Brushless String Trimmer

- For professional use
- Makita-built BL™ Brushless Motor delivers 1,000W maximum output
- Similar to a 30cc Gas engine
- 3 speed options (4,000 / 4,600 / 5,000 RPM)
- Cutting capacity 430 mm (17")

Runtime w/ 40V XGT® 5.0Ah battery:  
 Up to 30 min (Low)



**XGT** **BL MOTOR** **XPT** **AFT**  
**UR013G**  
 40V Brushless String Trimmer

- For professional use
- Makita-built BL™ Brushless Motor delivers 1,500W maximum output
- Similar to a 35cc Gas engine
- 2 speed options (3,500 / 6,700 RPM)
- Cutting capacity 450 mm (17-3/4")

Runtime w/ 40V XGT® 5.0Ah battery:  
 Up to 80 min (Low)



**XGT X2** **BL MOTOR** **XPT** **ADT** **AFT**  
**UR012G**  
 80V Brushless String Trimmer

- For commercial use
- Makita-built BL™ Brushless Motor delivers 2,000W maximum output
- Similar to a 43cc Gas engine
- 3 speed options (3,500 / 5,000 / 6,800 RPM)
- Cutting capacity 480 mm (18-7/8")

Runtime w/ 2x 40V XGT® 5.0Ah batteries:  
 Up to 57 min (Low)

# COUPLE SHAFT SYSTEM

**LEVER STYLE  
LOCK SYSTEM**

FOR QUICK TOOL-LESS INSTALLATION

**BRUSHLESS MOTOR  
DELIVERS 1,000W**

FOR HEAVY-LOAD APPLICATIONS

**UX01G**  
40V XGT® Brushless  
Couple Shaft Power Head

Zero Emissions and  
Reduced Maintenance;  
No Need for Gas or Oil


**XGT**  
BEYOND LIMITS

# ULTIMATE VERSATILITY

## COUPLE SHAFT POWER HEADS & ATTACHMENTS

### COUPLE SHAFT SYSTEM

The Makita® Couple Shaft Series has multiple attachments that are fully compatible with the gas engine or cordless powerhead. Users benefit with the increased efficiency and reduced tool costs of running one powerhead system for multiple applications.



**LXT**

**DUX18**

#### 18V LXT® Brushless Couple Shaft Power Head Kit with Brushcutter Attachment

- For home/semi-professional use
- 2-speed options and variable speed trigger: 0 - 6,800 / 0 - 9,700 RPM
- Similar to a Gas engine under 20cc
- Max output 470W
- Includes Brushcutter attachment EM408MP

Runtime w/ 18V LXT® 5.0Ah battery:  
Up to 21 min (Low) with EM408MP

**BL MOTOR** **XPT** **AFT**



**XGT**

**UX01G**

#### 40V XGT® Brushless Couple Shaft Power Head Kit with Brushcutter Attachment

- For Semi-professional use
- 3-speed options and variable speed trigger: 0 - 5,700 / 0 - 8,200 / 0 - 9,700 RPM
- Reverse button
- Similar to a 33cc Gas engine
- Max output 1,000W
- Includes Brushcutter attachment EM404MP

**BL MOTOR** **XPT** **AFT**

PICK YOUR ATTACHMENT		FITS MODELS			
		DUX18	UX01G		
	Brushcutter	EM404MP (198768-1)	—	●	
		EM408MP (191N31-5)	●	●	
	Rotary Scissors	EM407MP (191M56-3)	●	●	
	Edger	EE400MP (196749-9)	●	●	
	Pole Saw	EY403MP (191T40-0); 12"	●	●	
	Hedge trimmer	Straight	EN410MP (197739-5)	●	●
		Angle Adjustment	EN401MP (196301-3)	●	●
	Ground trimmer	EN420MP (198059-0)	●	●	
	Cultivator	KR400MP (195706-4)	●	●	
	Harvester	EJ400MP (195720-0)	●	●	
	Power brush	BR400MP (199318-5)	●	●	
	Power sweep	SW400MP (199339-7)	●	●	
	Blower	UB400MP (191F67-6)	●	●	
		UB401MP (191P72-3)	●	●	
	1 mt Shaft extension attachment	LE400MP (191E23-0)	●	●	

# CORDLESS HEDGE TRIMMERS



**SHARP-EDGED**

**SHEAR BLADE**

PROVIDES OPTIMAL TRIMMING FOR THICK BRANCHES

**5-POSITION ROTATING  
REAR HANDLE**

FOR INCREASED COMFORT

**UH006G**  
40V XGT® Brushless 23-5/8"  
Hedge Trimmer

BL™ Brushless Motor  
Delivers Up to 4,000 SPM  
for Faster Cutting

**XGT**  
BEYOND LIMITS



**DUH606**  
18V 23-5/8" Hedge Trimmer

- For home use
- High performance with low noise levels
- Weighs up to 40% less than gas models
- 1 speed: 4,000 SPM
- Max branch diameter 13/16"
- Max output 320W

Runtime w/ 18V LXT® 6.0Ah battery: Up to 70 min



**DUH607**  
18V 23-5/8" Hedge Trimmer

- Compact and ergonomic design
- High performance with low noise levels
- Anti-vibration design for operator comfort
- Speed: 2,700 SPM
- Max branch diameter 15/16"
- Max output 250W

Runtime w/ 18V LXT® 4.0Ah battery: Up to 100 min



**UH006G**  
40V XGT® 23-5/8" Brushless Hedge Trimmer

- For commercial use
- Sharp edge blade provides optimal trimming for thick branches
- 5-position rotating rear handle
- Anti-vibration design for operator comfort
- 3-speed options: 2,000 / 3,000 / 4,000 SPM
- Max branch diameter 1"
- Max output 720W

Runtime w/ 40V XGT® 4.0Ah battery: 360 min (Low) / 80 min (High)



**UH008G**  
40V XGT® 23-5/8" Brushless Hedge Trimmer

- For professional use
- Standard blade
- 5-position rotating rear handle
- Anti-vibration design for operator comfort
- 3-speed options: 2,000 / 3,600 / 5,000 SPM
- Max branch diameter 7/8"
- Max output 720W

Runtime w/ 40V XGT® 4.0Ah battery: 360 min (Low) / 80 min (High)



**UH021G**  
40V XGT® 23-5/8" Brushless Hedge Trimmer

- For professional use
- Standard blade
- Smooth and efficient trimming
- Anti-vibration design for operator comfort
- 1 speed: 4,200 SPM
- Max branch diameter 13/16"
- Max output 460W

Runtime w/ 40V XGT® 4.0Ah battery: 105 min



**UH023G**  
40V XGT® 7-7/8" Brushless Hedge Trimmer

- Lightweight bar-handle design
- Improves grip balance and reduces wrist strain
- Smooth and efficient trimming
- Vertical chip sweeper clears debris
- 1 speed: 3,600 SPM
- Max branch diameter 8 mm (5/16")

Runtime w/ 40V XGT® 2.5Ah battery: 181 min



**DUN461W**  
18V 18" Pole Hedge Trimmer

- For home use
- 10 angle settings hedge trimmer head
- Telescoping shaft easily adjusts length from 2,511 mm to 1,889 mm
- 1 speed: 3,600 SPM
- Max branch diameter 11/16"
- Max output 250W

Runtime w/ 18V LXT® 5.0Ah battery: Up to 120 min



**DUN500W**  
18V 19-3/4" Brushless Pole Hedge Trimmer

- For commercial use
- 6 angle settings hedge trimmer head
- 3-speed options: 2,000 / 3,600 / 4,400 SPM
- Ergonomic two-handed grip
- Max branch diameter 15/16"
- Max output 520W

Runtime w/ 18V LXT® 5.0Ah battery: Up to 45 min (Low)



**UH001G**  
40V XGT® 23-5/8" Pole Hedge Trimmer

- For commercial use
- 6 angle settings for efficient trimming
- Weighs up to 20% less than gas models
- Reverse function to clear jams
- 3-speed options: 2,000 / 3,000 / 4,000 SPM
- Max branch diameter 1"
- Max output 860W

Runtime w/ 40V XGT® 4.0Ah battery: 65 min (High)

# CORDLESS BLOWERS



**UP TO 55% MORE  
BLOWING FORCE**

THAN GAS BLOWER

**CRUISE CONTROL LEVER  
ON VARIABLE SPEED TRIGGER**

FOR POWER AND RUN TIME MANAGEMENT

**UB001G**  
40V max XGT® Brushless  
Cordless Blower

Makita-built Brushless  
Motor delivers up to 565  
CFM and 143 MPH

**XGT**  
BEYOND LIMITS



**DUB185**  
18V LXT® Vacuum/Blower

- For home use and workshops
- Delivers up to 219 MPH air velocity and 113 CFM of air volume
- Blowing Force 3.1 N
- Compact and ergonomic design at only 20-3/8" long
- Rubberized soft grip handle for increased operator comfort
- Weighs only 4.6 lbs. with battery

Runtime w/ 18V LXT® 5.0Ah battery:  
130 min (Low) / 17 min (High)



**DUB184**  
18V LXT® Brushless Blower

- For home use - Subcontractor and landscapers
- BL™ Brushless motor delivers up to 116 MPH air velocity and 459 CFM of air volume
- Blowing Force 10.9 N
- Low noise: 60 dB(A)
- Cruise control lever with variable speed trigger for power and run time management
- Weighs only 6.5 lbs with battery

Runtime w/ 18V LXT® 5.0Ah battery:  
Up to 60 min (Low) / 10 (High)



**DUB363**  
18V X2 LXT® Brushless Vacuum/Blower

- 3-tools-in-1: vacuum, mulcher and blower
- BL™ Brushless motor delivers up to 120 MPH air velocity and 473 CFM of air volume
- Vacuum mode delivers 13.2" Waterlift and 441 CFM of air volume
- Low noise: 61 dB(A)
- Cruise control lever with variable speed trigger
- 3-stage telescoping blower nozzle
- Weighs only 11.2 lbs. with batteries

Runtime w/ 2x 18V LXT® 5.0Ah batteries:  
64 min (Low) / 8 min (High)



**UB002G**  
40V XGT® Blower

- For home use and workshops
- Delivers up to 221 MPH air velocity and 127 CFM of air volume
- Blowing Force 3.2 N
- Compact size at only 20-1/4" long ideal for clearing workspaces
- 3 speed options for extended run time or added power
- Weighs only 2.9 lbs. without battery

Runtime w/ 40V XGT® 4.0Ah battery:  
30 min



**UB001G**  
40V XGT® Brushless Blower

- Ideal for subcontractors and landscapers
- Up to 55% more blowing force than Gas Blower
- BL™ Brushless motor delivers up to 143 MPH air velocity and 565 CFM of air volume
- Low noise: 61 dB(A)
- Cruise control lever with variable speed trigger
- 3-stage telescoping long nozzle for user convenience
- Weighs only 7.7 lbs. with batteries

Runtime w/ 40V XGT® 5.0Ah battery:  
15 min (High)



**UB003G**  
40V XGT® Brushless Vacuum/Blower

- Comparable to 28cc-class engine models
- The maximum air volume is 13.8 m³/min for blowing and 13.0 m³/min for vacuuming.
- Tool-less switching between blower and vacuum with one-touch pipe locking.
- Dust bag with two zipper tabs for easier and wider opening during disposal.
- Max blowing force: 7 / 16N
- Cruise control lever with variable speed trigger
- The blower nozzle length can be adjusted

Runtime w/ 40V XGT® 5.0Ah battery:  
Up to 30 min



# CORDLESS LAWN MOWERS

**BRUSHLESS MOTOR**

**DELIVERS UP TO 2,800 RPM**

FOR FASTER CUTTING

**CUTS UP TO  
1,670 M<sup>2</sup>**

USING (2) 5.0Ah BATTERIES

**DLM533**

18V X2 (36V) LXT® Brushless  
21" Self-Propelled Lawn Mower

Commercial Grade  
Aluminum Deck  
Design

**LXT**

**ONE SYSTEM**

ENDLESS POSSIBILITIES



**DLM330**

**18V LXT® 13" Lawn Mower**

- 3 in 1 Cutting / Collecting / Mulching
- Motor delivers 4,300 RPM
- Lightweight plastic deck for easy transportation
- 13" cutting width for optimum performance
- Single lever quickly adjust cutting height (13/16" – 2-15/16")
- Grass catcher bag holds up to 30L (8 Gal)

Runtime w/ 18V LXT® 4.0Ah battery: Up to 15 min



**DLM432**

**18V X2 (36V) LXT® 17" Lawn Mower**

- Powerful motor delivers 3,600 RPM
- 2-mode design: mulching and bagging
- Lightweight plastic deck for easy transportation
- 17" cutting width for optimum performance
- Single lever quickly adjust cutting height (13/16" – 2-15/16")
- Grass catcher bag holds up to 50L (13Gal)

Runtime w/ 2x 18V LXT® 5.0Ah batteries: Up to 70 min



**DLM530**

**18V X2 (36V) LXT® Brushless 21" Lawn Mower**

- BL™ Brushless motor delivers up to 2,800 RPM
- Commercial-grade steel deck
- 3-in-1 design allows for mulching, bagging or side discharge
- Single lever quickly adjusts cutting height (25/32" – 3-15/16")
- Low noise mode
- Grass catcher bag holds up to 70L (18Gal)

Runtime w/ 2x 18V LXT® 5.0Ah batteries: 35 min



**DLM532**

**18V X2 (36V) LXT® Brushless 21" Self-Propelled Lawn Mower**

- BL™ Brushless motor delivers up to 2,800 RPM
- Self-propelled with variable speed (1.5 MPH - 3 MPH)
- Commercial-grade steel deck
- 3-in-1 design allows for mulching, bagging or side discharge
- Single lever quickly adjusts cutting height (25/32" – 3-15/16")
- Low noise mode
- Grass catcher bag holds up to 70L (18Gal)

Runtime w/ 2x 18V LXT® 5.0Ah batteries: 35 min (Regular) / 27 min (Self-propelled)



**DLM533**

**18V X2 (36V) LXT® Brushless 21" Self-Propelled Lawn Mower**

- BL™ Brushless motor delivers up to 2,800 RPM
- Self-propelled with variable speed (1.5 MPH - 3 MPH)
- Commercial-grade aluminum deck
- 3-in-1 design allows for mulching, bagging or side discharge
- Single lever quickly adjusts cutting height (25/32" – 3-15/16")
- Low noise mode
- Grass catcher bag holds up to 70L (18Gal)

Runtime w/ 2x 18V LXT® 5.0Ah batteries: 35 min (Regular) / 27 min (Self-propelled)



**DLM538**

**18V X2 (36V) LXT® 21" Lawn Mower**

- Delivers up to 3,000 RPM
- Multi-purpose 2-tooth blade for mowing and mulching
- Lightweight plastic deck
- 4 in 1 (Cutting/ Collecting/ Mulching/ Rear discharge)
- Single lever quickly adjusts cutting height (13/16" – 3-15/16")
- Low noise
- Grass catcher bag holds up to 70L (18Gal)

Runtime w/ 2x 18V LXT® 5.0Ah batteries, Push-Drive: 25 min

**MOWING AREA**

**DLM330**



WITH 18V LXT 4.0 AH BATTERY

**DLM432**




WITH 2X 18V LXT 5.0 AH BATTERIES

**DLM538**




WITH 2X 18V LXT 6.0 AH BATTERIES

**DLM530**



WITH 2X 18V LXT 5.0 AH BATTERIES

**DLM532 / DLM533**



WITH 2X 18V LXT 5.0 AH BATTERIES

# CORDLESS CHAIN SAWS

**30% FASTER  
CUTTING SPEED**

THAN A 35CC GAS ENGINE POLE SAW

**UA001G**  
40V<sup>®</sup> Brushless  
10" Pole Saw

Makita-built brushless motor  
delivers the power of a 35cc  
gas pole saw

**XGT**  
BEYOND LIMITS



**LXT** **BL XPT** (BRAND)

**DUA200**  
18V LXT<sup>®</sup> Brushless 12"  
Telescopic Polesaw

- Extends up to 9 ft. for a total reach of up to 14 ft.
- Split shaft easily adjusts length from 6 ft. to 9 ft.
- 9 angle settings with 120° working range
- Up to 500 cuts in 2x2 cedar with 18V LXT<sup>®</sup> 5.0Ah battery
- "Tool-free" chain adjustment
- Branch hook for pulling trimmed branches from trees
- Automatic oiler for continuous bar and chain lubrication

Max output: 260 W



**LXT** **BL XPT** (BRAND)

**DUA301**  
18V X2 LXT<sup>®</sup> Brushless 12"  
Telescopic Polesaw

- Easily adjusts length from 9 ft. to 13 ft.
- Makita-built BL™ Brushless Motor delivers power of a 30cc gas pole saw
- Up to 140 cuts in 4x4 cedar with two 18V LXT<sup>®</sup> 5.0Ah batteries
- Torque boost mode
- Captive nuts type
- Branch hook for pulling trimmed branches from trees

Max output: 1,400 W / Similar to a 30cc gas engine



**XGT** **BL XPT** **AFT**

**UA001G**  
40V Brushless 10"  
Telescopic Polesaw

- 8 foot fixed length for extended reach
- Lateral chain tensioning
- Captured bar nut is retained in sprocket cover for convenient setup and maintenance
- Branch hook for pulling trimmed branches from trees
- Translucent bar oil tank with large opening for easier refilling
- 0 - 3,940 FPM

Max output: 1,500 W / Similar to a 35cc gas engine



**DUC101 (4") / DUC150 (6")**  
18V Pruning Saw

- Delivers 1,570 FPM for faster cutting
- "Tool-free" chain adjustment
- Compact handheld saw for pruning and light limbing
- Automatic chain lubrication
- Soft grip handle for non-skid operation
- Electric brake for maximum productivity

Max output: 320 W



**DUC254**  
18V LXT® Brushless 10" Chain Saw

- Compact top handle design built for the professional tree care industry
- Variable speed trigger: 0-4,720 FPM
- Makita-built Outer Rotor BL™ Brushless Motor direct-drive system provides high power efficiency
- Torque boost mode for cutting dense material
- Captive nuts type

Max output: 570 W / Similar to a 20cc gas engine



**DUC258**  
18V LXT® Brushless 10" Chain Saw

- Excellent tool balance with optimal center of gravity
- Variable speed trigger: 0-4,720 FPM
- Makita-built Outer Rotor BL™ Brushless Motor
- Main power button with enhanced operability
- Captive nuts type

Similar to a 23cc gas engine



**DUC306 (12") / DUC356 (14") / DUC406 (16")**  
18V X2 LXT® Brushless Top Handle Chain Saw

- Compact top handle design built for the professional tree care industry
- Variable speed trigger: 0-3,940 FPM
- Makita-built Outer Rotor BL™ Brushless Motor direct-drive system provides high power efficiency
- Torque boost mode for cutting dense material
- Captive nuts type

Max output: 1,200 W / Similar to a 30cc gas engine



**DUC355**  
18V X2 LXT® Brushless 14" Chain Saw

- Large oil filling port with view window allows operator to easily add and check bar oil level
- Variable speed trigger: 0-3,940 FPM
- Makita-built Outer Rotor BL™ Brushless Motor direct-drive system provides high power efficiency
- Adjustable automatic chain lubrication
- Captive nuts type

Max output: 1,100 W / Similar to a 30cc gas engine



**UC031G**  
40V Brushless 10" Chain Saw

- Excellent tool balance with optimal center of gravity
- Variable speed trigger: 0 - 24.0 m/s
- Makita-built Outer Rotor BL™ Brushless Motor
- Main power button with enhanced operability
- Captive nuts type

Max output: 1,060 W / Similar to a 27cc gas engine



**UC004G**  
40V Brushless 14" Chain Saw

- Professional arborist chain saw with high power-to-weight ratio designed for in-tree work
- Variable speed trigger and high chain speed (0-4,882 FPM)
- High performance with low noise levels
- Captive nuts type

Max output: 1,400 W / Similar to a 30cc gas engine



**UC023G (TOOL-LESS CHAIN) / UC026G (CAPTIVE NUTS TYPE)**  
40V Brushless 16" Chain Saw

- Excellent combination of high efficiency and lightweight design
- Variable speed 0 - 25.5 m/s
- Improved response to trigger operation
- Metal spike bumper firmly grips workpiece to provide more control, making cutting easier

Max output: 1,600 W / Similar to a 35cc gas engine



**UC013G**  
40V Brushless 18" Chain Saw

- Lateral chain tensioning with dual stud for efficient chain retention
- Variable speed trigger: 0-5,020 FPM
- High performance with low noise levels
- Adjustable automatic chain lubrication
- Captive nuts type

Max output: 1,600 W / Similar to a 42cc gas engine



**UC030G**  
40V Brushless 16" Chain Saw

- Smooth cutting of trees up to 400mm in diameter.
- Selectable chain speeds (ECO/Medium/High): 0 - 20.0, 24.5, 29.0 m/s
- The metal spike bumper firmly grips the workpiece, providing better control and easier cutting
- Captive nuts type

Max output: 2,800 W / Similar to a 50cc gas engine

# CORDLESS PORTABLE BACKPACK POWER SUPPLY

**LONG LASTING  
POWER**

INCREASES PRODUCTIVITY & PROFITABILITY

**PDC1200**  
LXT® X2 AND XGT® PORTABLE  
BACKPACK POWER SUPPLY

Equivalent to having almost  
14 x LXT® 18V batteries

**CONNECT X**<sup>TM</sup>


# PRODUCT FEATURES



**DESIGN**  
L.E.D. battery charge indicator



**COMFORT**  
Wide padded adjustable straps and hip belt



**COMPATIBILITY**  
Connector cord compatible with 18V, 18V X2 (36V) and 40V adapter



**LXT** **LXT X2** **XGT**

## PDC01 (#191A59-5)

**LXT®, LXT® X2 and XGT® Portable Backpack Power Supply**

- Holds up four LXT® Lithium-Ion batteries
- Provides up to 4X the run time when used with Makita LXT® 18V products
- Provides up to 2X the run time when used with Makita LXT® 18V X2 (36V) products
- Adjustable ergonomic harness for operator comfort

Maximum energy output: 432Wh



**LXT** **X2** **XGT**

## PDC1200A02

**LXT® X2 and XGT® Portable Backpack Power Supply**

- Ideal for heavy duty applications
- Equivalent to having almost 14 x LXT® 18V batteries running at the same time
- Adjustable ergonomic harness for operator comfort
- Lightweight design at only 8.8kg

Maximum energy output: 1,200Wh



**LXT** **X2** **XGT**

## PDC1500

**LXT® X2 and XGT® Portable Backpack Power Supply**

- Higher Capacity delivers 1,500 Watt Hours of Output
- Longer run time ideal for all day work
- Battery mounts directly onto select products or connects to backpack harness (harness sold separately)
- Reaches full charge in 450 minutes with AC power supply

Maximum energy output: 1,500Wh



**CONNECT X**  
**BL MOTOR** **XPT** **SOFT NOLOAD**

## LM001C

**Battery Powered Brushless 21" Self-propelled Lawn Mower**

- Powered by the PDC01 and PDC1200 battery backpacks
- Mows up to 6,900 m<sup>2</sup> with PDC1200; 2,300 m<sup>2</sup> with PDC01 (BL1860B x4)
- 3 types of mowing: collecting, mulching, side discharge.
- Self-propelled mode with speeds from 1.5 mph - 3 mph
- Steel base with 18.5 Gallon collection bag

Runtime:  
w/PDC01 (4x BL1860B):  
Self-propelled 40 min / Manual 50 min  
w/PDC1200  
Self-propelled 120 min / Manual 150 min



**CONNECT X**  
**BL MOTOR** **XPT**

## UB003C

**Battery Powered Brushless Blower**

- 3 Speed mode button
- Variable control trigger + Cruise control lever
- Better tool balance and improved ergonomics
- Nozzle reducing reaction force
- 3-stage telescopic long nozzle
- Max air volume: w/ End nozzle, w/ PDC1500, Max speed mode: 2.9 - 17.2 m<sup>3</sup>/min
- Max air velocity: w/ End nozzle, w/ PDC1500, Max speed mode: 86.0 m/s
- Blowing force: w/ End nozzle, w/ PDC1500, Max speed mode: 0.7 - 24 N

Runtime:  
w/PDC1500 max speed: Up to 60 min



**CONNECT X**  
**BL MOTOR** **XPT**

## UB004C

**40V Brushless Backpack Blower**

- Makita-built brushless motor delivers power of a 64cc gas backpack blower
- Delivers up to 171 MPH air velocity and 696 CFM of air volume
- Telescoping long nozzle adjusts for a variety of user heights and applications
- High blowing force of 25 N for heavy debris
- Tube-mounted variable speed trigger adjusts between 0 - 696 CFM for power and run time management
- Cruise control lever speed lock on and variable speed trigger

Runtime w/ PDC1500 ConnectXT™:  
120 min



**CONNECT X**  
**BL MOTOR** **XPT** **ADT AFT**

## UR101C

**Battery Powered Brushless String Trimmer**

- Makita-built BL™ Brushless Motor delivers power equivalent to a 30cc gas string trimmer
- Max output 1,000 W
- Variable speed trigger: 4,000 / 4,600 / 6,000 RPM
- Steel drive shaft reduces vibration
- Cutting capacity: 430 mm (17")
- Reverse rotation function allows operator to quickly clear trimmer head of entangled grass and weeds

Runtime:  
w/PDC01 (4x BL1850B): 28 min  
w/PDC1200: 60 min



# CORDLESS PRESSURE WASHERS



**DHW180Z**  
18V LXT® Brushless High Pressure Washer

- Handgun style model, lightweight and easy-to-handle
- Regular pressure: 2.4 MPa
- Regular flow rate: 2.5 L/min
- Two power modes (High/Low)
- 5-in-1 nozzle allows for easy mode changes by rotating the nozzle head
- Self-priming function (with a max suction height of 2 m)
- Sufficient cleaning power for light-duty tasks

Runtime w/ 18V LXT® 3.0Ah battery: 18 min (High) / 50 min (Low)



**DHW080**  
18V X2 LXT® Brushless High Pressure Washer

- Powerful BL™ Brushless Motor delivers up to 800 W (.80kW)
- Maximum pressure allowed: 8 MPa (1,160.3 PSI)
- 2-pressure selection: High: 5.5 MPa (798 PSI) / Low: 3.0 MPa (435 PSI).
- Water flow: Low: 240 L/H / High: 330 L/H.
- Tank capacity of approx. 50 L
- Self-priming function (with a max suction height of 1 m)
- Water can also be supplied from a tap

Runtime w/ 2x 18V LXT® 5.0Ah batteries: 12 min (High) / 28 min (Low)



**HW001G**  
40V X2 XGT® Brushless High Pressure Washer

- Delivers up to 1300 PSI and 1.5 GPM
- Designed for use as a siphon or with garden hose
- Auto-switching 2 bay battery system for 2X more run time
- Self-priming siphon hose draws water from fresh water sources or water tanks
- 3-power levels for power and run time management
- Includes Variable Spray Wand with 30° spray angle
- Includes Cyclone Jet Wand with spiral jet ideal for concrete cleaning

Runtime w/ 2x 40V XGT® 5.0Ah batteries:  
Mode 1 / Mode 2 / Mode 3: 60 / 30 / 18 min

## ACCESSORIES



**197876-5**  
Variospray lance



**197824-4**  
Cyclone jet nozzle



**197828-6**  
Wash brush



**197886-2**  
Foam nozzle



**197822-8**  
Variable nozzle



**197873-1**  
Self-suction hose



**197859-5**  
Under body spray lance



**197831-7**  
Rotating brush



**197842-2**  
Trigger gun



**197847-2**  
8m High pressure extension hose



**197883-8**  
One touch joint



**197879-9**  
Cleaner Pin

# POWER-ASSISTED WHEELBARROWS



**198494-2**  
Steel Bucket



**199116-7**  
Flatbed Pipe  
Frame



**DCU180**

**18V X2 LXT® Brushless Power-Assisted Wheelbarrow**

- Max Output 250W
- Speed: Forward 0 - 3.5 / 0 - 1.5 km/h / Reverse: 0 - 1 km/h
- Max. Load Capacity: 130 kg (290 lbs.)
- Interchangeable steel bucket or steel tube flat bed (optional)

Runtime w/ 18V LXT® 5.0Ah battery: 45 min



**DCU601**

**18V X2 LXT® Brushless Power-Assisted Wheelbarrow Electric lift type**

- Max Output 1,250W
- Speed: Forward 5.0 / 3.5 / 1.5 km/h / Reverse: 1.0 km/h
- Max. Load Capacity: 300 kg (661 lbs)
- Lift height: 475 - 1,020 mm (18-3/4 - 40-1/4")

Runtime w/ 4X 18V LXT® 6.0Ah batteries: 100 min



**DCU602**

**18V X2 LXT® Brushless Power-Assisted Wheelbarrow Electric Dump**

- Max Output 1,250W
- Speed: Forward 5.0 / 3.5 / 1.5 km/h / Reverse: 1.0 km/h
- Max. Load Capacity: 300 kg (661 lbs)
- Rust-free plastic bucket accepts wet loads

Runtime w/ 4X 18V LXT® 6.0Ah batteries: 100 min



**DCU604**

**18V X2 LXT® Brushless Power-Assisted Wheelbarrow Manual Dump**

- Max Output 1,250W
- Speed: Forward 5.0 / 3.5 / 1.5 km/h / Reverse: 1.0 km/h
- Max. Load Capacity: 300 kg (661 lbs)
- Telescoping loading platform L(57"-63")-W (28 3/4"-42 1/2")-H (32 1/4"- 40 1/2")

Runtime w/ 4X 18V LXT® 6.0Ah batteries: 100 min





**PM001G**

**40V XGT® Brushless Backpack Mist Blower**

- Delivers power of a 63cc gas mist blower
- Auto-switching 2 bay battery system for 2X more run time
- 15L (4 gall) Commercial-grade sprayer for use with insecticides, herbicides, fungicides and fertilizers
- Sprays up to 46 feet
- Tube-mounted variable speed trigger adjusts between 261-505 CFM for power and run time management
- Cruise control lever speed lock on variable speed trigger for comfortable continuous operation
- 3-speed options (low, medium, high)

Runtime w/ 2X 40V XGT® 8.0Ah batteries: 80 min



**DUS158**

**18V LXT® 15 L Sprayer**

- Garden sprayer for use with pesticides, insecticides, herbicides, fungicides and fertilizers
- 4 gallon translucent tank
- Sprays up to 165 gallons with 18V LXT® 4.0Ah battery
- Motor delivers pressure up to 73 PSI
- Select between dual head spray nozzle or herbicide weed killer nozzle
- Sprayer handle features lock-on for continuous operation
- 23-5/8" spray wand for extended reach
- 67" hose for increased maneuverability

Runtime w/ 18V LXT® 5.0Ah battery: 335min



**DUS108**

**18V LXT® 10 L Sprayer**

- Garden sprayer for use with pesticides, insecticides, herbicides, fungicides and fertilizers
- 2.6 gallon translucent tank
- Sprays up to 165 gallons with 18V LXT® 4.0Ah battery
- Motor delivers pressure up to 73 PSI
- Select between dual head spray nozzle or herbicide weed killer nozzle
- Sprayer handle features lock-on for continuous operation
- 23-5/8" spray wand for extended reach
- 67" hose for increased maneuverability

Runtime w/ 18V LXT® 5.0Ah battery: 335min



**DUS054**

**18V LXT® 5 L Sprayer**

- 5 L capacity tank
- H-shaped nozzle selector to increase or decrease flow range and pressure
- 2-mode selectable (Mist and Stream modes)
- Maximum Pressure of 0.3 Mpa
- Single/double head spraying selection
- Adjustable Telescopic spray wand from 0.5 to 0.7 meters for hard to reach areas
- Net weight: 3.2 - 3.5 kg (7.1 - 7.7 lbs)

Runtime w/ 18V LXT® 5.0Ah battery: 6.5 hrs



**US053D**

**12V CXT® 5 L Sprayer**

- 5 L capacity tank
- H-shaped nozzle selector to increase or decrease flow range and pressure
- 2-mode selectable (Mist and Stream modes)
- Maximum Pressure of 0.3 Mpa
- Single/double head spraying selection
- Adjustable Telescopic spray wand from 0.5 to 0.7 meters for hard to reach areas
- Net weight: 2.9 - 3.0 kg (6.4 - 6.6 lbs)

Runtime w/ 12V CXT® 4.0Ah battery: 4 hrs



**DUP181**

**18V LXT® Pruning Shears**



- Provides a slim grip with a 125 mm circumference, offering smooth and effortless pruning.
- The sensor built into the motor ensures smooth blade synchronization with the trigger and offers excellent trigger responsiveness even at low speeds for precise pruning.
- Four adjustable opening angles to suit different branch sizes for enhanced efficiency.
- The standby mode is convenient for temporarily storing the tool in a holster between tasks.
- Lubricating oil can be applied from the outside without disassembly.
- Cutting depth can be adjusted after blade replacement.

Max cutting Capacity 30 mm (1-3/16")



**DG002G**

**40V XGT® Brushless Earth Auger**



- Auger bit is directly attached
- Reversing switch enables to extract, in reverse rotation mode, an auger bit jammed in soil with high resistance like clay soil
- Automatic torque Drive Technology (ADT) adjusts speed and torque during operation for optimum performance
- BL motor delivers 1,500 RPM
- Variable 2-speed for increased drilling versatility
- Built-in clutch reduces gear damage by automatically disengaging gears if the bit binds
- Twin LED lights with preglow and afterglow feature illuminate the work area
- Soft start for smooth start-ups

Capacity: Clay soil: 150 mm / Sandy soil: 200 mm



# ACCESSORIES



## OUTDOOR POWER EQUIPMENT ACCESSORIES

Whether replacing a saw chain or adding a new attachment for your couple shaft, Makita® Accessories offer the finishing touch your outdoor power equipment needs. Made of quality materials, Makita® Accessories are durable to tackle demanding jobs. Complete your cordless, gas or corded equipment with the right accessory, so that you can *GET THE JOB DONE.*

Trimmer Line Accessories

	Part #	Color	Gauge	Length	Features	Fits models		
	E-01731	Blue	.065" Four-Leaf	49'	1 layer. Four-Leaf design to reduce noise and improve battery runtime	DUR181 / DUR192L		
	E-01747	Blue	.065" Four-Leaf	98'				
	E-01753	Blue	.065" Four-Leaf	590'				
	E-01797	Orange	.095" Four-Leaf	49'		1 layer. Four-Leaf design to reduce noise and improve battery runtime	DUR187 / DUR190 / DUX18 / DUR368 / DUX60 / UR002G / UR003G / UR101C / UR006G / UR008G / UX01G / DUR369 / UR012G	
	E-01806	Orange	.095" Four-Leaf	98'				
	E-01812	Orange	.095" Four-Leaf	590'				
	E-01828	Red	.106" Four-Leaf	49'			1 layer. Four-Leaf design to reduce noise and improve battery runtime	DUR368 / DUX60 / UR002G / UR003G / UR101C / UR006G / UR008G / UX01G / DUR369 / UR012G
	E-01834	Red	.106" Four-Leaf	98'				
	E-01840	Red	.106" Four-Leaf	590'				
	E-02733	Blue	.065" Round	49'	1 Layer Ideal for light grass maintenance			DUR181, DUR190
	E-02749	Orange	.095" Round	49'				DUR187 / DUR190 / DUX18 / DUR368 / DUX60 / UR002G / UR003G / UR101C / UR006G / UR008G / UX01G / DUR369 / UR012G  Gas engines: 25cc to 43cc
	E-02814	Orange	.095" Square	226'				
	E-02820	Orange	.095" Square	675'				
	E-02836	Yellow	.118" Round	49'		2 layers For commercial use. Provides more speed, resistance and durability		DUR368 / DUX60 / UR002G / UR003G / UR101C / UR006G / UR008G / UX01G / DUR369 / UR012G  Gas engine: 25cc to 43cc
	E-02886	Yellow	.118" Square	144'				
	E-02892	Yellow	.118" Square	433'				



Part #	Description	Benefits	Arbor
195858-1	Bump and Feed Trimmer Head	Simple assembly, easy and quick to change	-
1914R8-6	Nylon Trimmer Head	Cord 2.0mm x 3m	M10x1.25LH
1914R6-0	Nylon Trimmer Head	Cord 2.4mm x 3m	M10x1.25LH
1911Y2-9	Nylon Trimmer Head	Cord 2.7mm x 4m	M10x1.25LH
197030-1	Trimmer Head	Bump and feed for quick line advancement	M10x1.25LH
198383-1	Plastic Trimmer Head	Cutting head with three hinged curved plastic blades	M8 x 1.25 R, M8 x 1.25L and M10 x 1.25L
198426-9	Plastic Blade Set	12 pc	-
B-02951	Nylon Cord Cutter Manual	Durable, fast and easy feeding	M10

Part #	Size	Fits Models
D-66058	9" x 5/64" x 1"	DC: 18V – 36V – 40V Gas: 23.5cc to 25.7cc
D-66064	10" x 5/64" x 1"	Gas: 29cc to 43cc

Part #	Size	Fits Models
D-66020	9" x 1/8" x 1"	DC: 18V – 36V – 40V Gas: 23.5cc to 25.7cc
D-66036	10" x 1/8" x 1"	Gas: 29cc to 43cc
D-66042	12" x 1/8" x 1"	DC: 80V Gas: 33.5cc to 43cc

Part #	Size	Fits Models
D-66008	9" x 1/16" x 1"	DC: 18V – 36V – 40V Gas: 23.5cc to 25.7cc
D-66014	10" x 1/16" x 1"	Gas: 29cc to 43cc

Blades



Part #	Size	Fits Models
195769-0	20"	DUH523
1914G5-5	23"	DUH606, UH021G
1911J2-4	23"	DUH607
1914E7-7	23"	UN001G
191P00-8	18"	DUN461W
199099-1	23"	DUH601
191R57-1	23"	UH008G
191C14-9	19,5"	DUN500W
191R55-5	23"	UH006G



Chip receiver

Part #	Fits Models
191T43-4	DUN461
199151-5	DUH601
191R51-3	UH004G, UH006G, UH008G
199151-5	DUH606, DUH607, UN001G, UH021

### Chain Saw Guide Bars & Chains



Guide Bar	Length	Pitch	Gauge	Saw Chain	Chain Type	File Size	Fits Models
1910W0-3	4"	.325"	.043"	1910V6-4	80TXL	5/32"	DUC101
1912F1-4	6"	.325"	.043"	1912E8-3	80TXL	5/32"	DUC150
1914S3-3	8"	.325"	.043"	1914S1-7	80TXL	5/32"	DUA200
191G14-3	10"	3/8"	.043"	191H00-0	90PX	11/64"	DUA301, UA001G, EY403MP, DUC254, DUC258
191G15-1	12"	3/8"	.043"	191H01-8	90PX	11/64"	DUA301, UA001G, EY403MP, DUC306, DUC407, DUC355, UC004G
191G16-9	14"	3/8"	.043"	191H02-6	90PX	11/64"	DUC306, DUC407, DUC355, UC004G, UC013G
191G17-7	16"	3/8"	.043"	191H03-4	90PX	11/64"	DUC355, DUC406, DUC407, UC013G, UC023G, UC026G
191T88-2	16"	0.325"	.043"	191T92-1	80TXL	5/32"	DUC355, DUC406, UC023G, UC026G, UC013G, UC030G
191X03-0	18"	0.325"	.043"	191X03-0	80TXL	5/32"	UC013G, UC030G
191G11-9	10"	3/8"	.050"	191H20-4	91VXL	5/32"	EY401MP
191G22-4	10"	3/8"	.050"	191H08-4	91PX	5/32"	DUA301, UA001G, EY403MP, DUC254, DUC258
191G23-2	12"	3/8"	.050"	191H10-7	91PX	5/32"	DUA301, UA001G, EY403MP, DUC306, DUC407, DUC355, UC004G
191G24-0	14"	3/8"	.050"	191H11-5	91PX	5/32"	DUC306, DUC407, DUC355, UC004G, UC013G
191G25-8	16"	3/8"	.050"	191H12-3	91PX	5/32"	DUC406, DUC407, DUC355, UC013G, UC023G, UC026G
191G40-2	18"	0.325"	.050"	191H24-6	95VPX	3/16"	UC013G, UC030G
1915Y9-9	20"	0.325"	.050"	1916A3-9	95TXL	3/16"	UC030G



### Other accessories

Part #	Description
D-67480	Filing vice
D-67496	File Handle
D-67452	Flat File
D-67474	Depth Gauge Tool
D-67359	4.0mm (5/32") Round File
D-67371	4.5mm (11/64") Round File
D-67393	4.8mm (3/16") Round File
D-67430	5.5mm (7/32") Round File
D-70948	4.0mm (5/32") Sharpening File Guide Set
D-70954	4.5mm (11/64") Sharpening File Guide Set
D-70960	4.8mm (3/16") Sharpening File Guide Set
D-70998	150mm (6") Depth Gauge & Flat File Set


### Bar and Chain Oil

Part #	Description
195093-1	Ideal for use with all Makita Chain Saws. Reduces bar, chain and sprocket wear for longer bar and chain life

**Vacuum Attachments**

Part #	Fits Models
 <p><b>123241-2</b> Collects small, dry debris when using the blower as a vacuum</p>	DUB182, DUB186
 <p><b>191E19-1</b> Converts DUB363 blower to vacuum / mulcher. Commercial design for heavy duty applications</p>	DUB363

**Gutter Cleaning Attachment**

Part #	Fits Models
 <p><b>191B03-8</b> Series of plastic tubes extend handheld blowers 10' for cleaning gutters</p>	DUB184, DUB362, DUB363, UB101C, UB001G

**Blower Nozzles**

Part #	Fits Models
 <p><b>132025-7</b> Rubber Nozzle</p>	DUB182, DUB186
 <p><b>191G09-6</b> Long Floor Nozzle</p>	DUB186
 <p><b>191L13-5</b> End Nozzle</p>	DUB184
 <p><b>456958-5</b> Flat End Nozzle</p>	DUB184, DUB362, DUB363

**Blades**



Part #	Size	Fits Models
<b>197761-2</b>	17"	DLM432










Part #	Size	Fits Models
<b>191D52-7</b>	21"	DLM530, DLM532, DLM533



**Auxiliary Wheel Attachment Set**

Part #	Fits Models
<b>191A01-6</b>	DCU180

Part #	Description
 <b>E-07294</b>	4" auger drill bit with "D" shank adapter
 <b>E-07303</b>	6" auger drill bit with "D" shank adapter
 <b>E-07319</b>	8" auger drill bit with "D" shank adapter
 <b>E-07325</b>	Earth Auger Drill Bit 21-1/4" Extension Bar
 <b>E-07331</b>	Earth Auger Pin
 <b>E-07630</b>	4" Earth Auger Drill Bit Blade Set
 <b>E-07646</b>	6" Earth Auger Drill Bit Blade Set

### Batteries & Chargers / Charging time Chart

				XGT 40V		XGT 40V + LXT 18V Adapter		LXT 18V		
				DC40RA Rapid Charger	DC40RC Stadard Charger	DC40RA + ADP10	DC40RC + ADP10	DC18RC Rapid Charger	DC18SF 4-port Charger	DC18SD Standard Charger
<b>40v</b>	BL4080H TABLESS	8.0 AH	<b>76 Min.</b>	-	-	-	-	-	-	-
	BL4080F	8.0 AH	<b>75 Min.</b>	-	-	-	-	-	-	-
	BL4050F	5.0 AH	<b>50 Min.</b>	<b>85 Min.</b>	-	-	-	-	-	-
	BL4040F TABLESS	4.0 AH	<b>45 Min.</b>	-	-	-	-	-	-	-
	BL4040	4.0 AH	<b>45 Min.</b>	<b>67 Min.</b>	-	-	-	-	-	-
	BL4025	2.5 AH	<b>28 Min.</b>	<b>38 Min.</b>	-	-	-	-	-	-
	BL4020	2.0 AH	<b>22 Min.</b>	<b>30 Min.</b>	-	-	-	-	-	-
<b>18V</b>	BL18120	12.0 AH	-	-	-	-	-	<b>120 Min.</b>	-	-
	BL1890	9.0 AH	-	-	-	-	-	<b>85 Min.</b>	-	-
	BL1860B	6.0 AH	-	-	<b>40 Min.</b>	<b>85 Min.</b>	<b>55 Min.</b>	1 to 2 Batteries <b>130 Min.</b>	3 to 4 Batteries <b>260 Min.</b>	<b>130 Min.</b>
	BL1850B	5.0 AH	-	-	<b>35 Min.</b>	<b>70 Min.</b>	<b>45 Min.</b>	<b>110 Min.</b>	<b>220 Min.</b>	<b>110 Min.</b>
	BL1840B	4.0 AH	-	-	<b>29 Min.</b>	<b>58 Min.</b>	<b>36 Min.</b>	<b>90 Min.</b>	<b>180 Min.</b>	<b>90 Min.</b>
	BL1830B	3.0 AH	-	-	<b>22 Min.</b>	<b>42 Min.</b>	<b>22 Min.</b>	<b>60 Min.</b>	<b>120 Min.</b>	<b>60 Min.</b>
	BL1820B	2.0 AH	-	-	<b>24 Min.</b>	<b>33 Min.</b>	<b>24 Min.</b>	<b>45 Min.</b>	<b>90 Min.</b>	<b>45 Min.</b>
	BL1815N	1.5 AH	-	-	<b>15 Min.</b>	<b>22 Min.</b>	<b>15 Min.</b>	<b>30 Min.</b>	<b>60 Min.</b>	<b>30 Min.</b>

#### Adapter



**ADP10**  
Adapts 40V max XGT® chargers to charge 18V LXT® batteries

#### XGT 40V Kits

- 191V17-7 (120v) / 191V18-5 (240v)**  
DC40RC + (2) BL4020 + MAKPAC
- 191K67-6 (120v) / 191K69-2 (240v)**  
DC40RA + (1) BL4025 + MAKPAC
- 191J77-7 (120v) / 191J81-6 (240v)**  
DC40RA + (2) BL4025 + MAKPAC
- 191J61-2 (120v) / 191J65-4 (240v)**  
DC40RA + (1) BL4040 + MAKPAC
- 191U01-6 (120v)**  
DC40RB + (2) BL4040

#### LXT 18V Kits

- 199993-7**  
DC18SD + (1) BL1830B
- 191L69-8**  
DC18RC + (1) BL1850B
- 199589-4**  
DC18RD + (4) BL1850B + MAKPAC
- 191K41-4**  
DC18RD + (2) BL1860B + MAKPAC
- 191K40-6**  
DC18RD + (4) BL1860B + MAKPAC

#### Battery Charging Station



**1914U3-7**  
8 ports Battery Charging Station for XGT Batteries. LXT 18V Batteries can be charge with ADP10 adapter

#### USB-C PD Car 18V Charger



**1916D9-8**  
Charger for LXT® 18V batteries. Needs 1915U1-7 Adapter for 12V/24V batteries



**Makita**



[makitalatinamerica.com](http://makitalatinamerica.com)